

NATIONAL TURFGRASS EVALUATION PROGRAM

The National Turfgrass Evaluation Program (NTEP) is designed to develop and coordinate uniform evaluation trials of turfgrass varieties and promising selections in the United States and Canada. Test results can be used by national companies and plant breeders to determine the broad picture of the adaptation of a cultivar. Results can also be used to determine if a cultivar is well adapted to a local area or level of turf maintenance.

Briefly, the NTEP is a self-supporting, non-profit program, sponsored by the Beltsville Agricultural Research Center and the National Turfgrass Federation, Inc. Program policy is made by a policy committee consisting of one member from each of the four (4) Regional Turfgrass Research Committees in the United States, one member from the Lawn Seed Division of the American Seed Trade Association, one member from the United States Golf Association (USGA) Green Section, one member from the Golf Course Superintendents Assoc. of America (GCSAA), one member for the Turfgrass Producers International (TPI), one member from the Turfgrass Breeders Association and an executive director. The program does not make variety recommendations. However, the data from tests can be used by extension specialists and others for making recommendations.

The policy committee is responsible for determining program policy including, (1) requirements for submission of entries, (2) scheduling tests, (3) evaluation methods, (4) selecting standard or control test entries, (5) setting entry fees, (6) coordinating tests in their respective regions, (7) establishing guidelines for publication and data distribution and (8) scheduling committee meetings.

Executive Director - Kevin N. Morris, National Turfgrass Evaluation Program, Inc.

CURRENT POLICY COMMITTEE MEMBERS:

Dr. Melodee Fraser, Pure-Seed Testing, Inc.
Mr. Paul Hedgpeth, Columbia River Seeds, Inc.
Dr. Mike Kenna, USGA Green Section
Dr. Doug Karcher, University of Arkansas
Dr. David Kopec, University of Arizona
Mr. Warren Bell, Biograss Sod Farms
Dr. Ken Diesburg, Southern Illinois University
Mr. Pat McClain, Burlingham Seeds
Dr. Scott Ebdon, University of Massachusetts

FOR ADDITIONAL REPORTS OR INFORMATION CONTACT:

Kevin Morris, Executive Director
National Turfgrass Evaluation Program
Beltsville Agricultural Research Center-West
Building 005, Room 307
Beltsville, Maryland 20705
kmorris@ntep.org
www.ntep.org

CONTENTS

2007 National St. Augustinegrass Test - 2007-12 data

LOCATIONS SUBMITTING DATA FOR 2007-12.....1

NATIONAL ST. AUGUSTINEGRASS TEST, 2007

 Entries and Sponsors.....2

Table A - 2007-12 Locations, Site Descriptions and Management Practices in
the 2007 National St. Augustinegrass Test.....3

Table B - Locations and Data Collected in 2007-12.....3

Table 1 - Mean Turfgrass Quality Ratings of St. Augustinegrass Cultivars
Grown at Four Locations in the U.S. for AMMI Group 1 in 2008.....4

Table 2 - Mean Turfgrass Quality Ratings of St. Augustinegrass Cultivars
Grown at Four Locations in the U.S. for AMMI Group 2 in 20084

Table 3 - Mean Turfgrass Quality Ratings of St. Augustinegrass Cultivars
Grown at One Location in the U.S. for AMMI Group 1 in 2011.....5

Table 4 - Mean Turfgrass Quality Ratings of St. Augustinegrass Cultivars
Grown at Three Locations in the U.S. for AMMI Group 2 in 2011.....5

Table 5 - Mean Turfgrass Quality Ratings of St. Augustinegrass Cultivars
Grown in Location Performance Index (LPI) Group 1 in 2012.....6

Table 6 - Mean Turfgrass Quality Ratings of St. Augustinegrass Cultivars
Grown in Location Performance Index (LPI) Group 2 in 2012.....6

Table 7 - Mean Turfgrass Quality Ratings of St. Augustinegrass
Cultivars Grown at Gainesville, FL.....7

Table 8 - Mean Turfgrass Quality Ratings of St. Augustinegrass
Cultivars Grown at Griffin, GA.....7

Table 9 - Mean Turfgrass Quality Ratings of St. Augustinegrass
Cultivars Grown at Miss. St., MS.....8

Table 10- Mean Turfgrass Quality Ratings of St. Augustinegrass
Cultivars Grown at Raleigh, NC.....8

Table 11- Mean Turfgrass Quality Ratings of St. Augustinegrass
Cultivars Grown at College Station, TX.....9

Table 12- Genetic Color Ratings of St. Augustinegrass Cultivars.....9

Table 13- Spring Greenup Ratings of St. Augustinegrass Cultivars.....10

Table 14- Leaf Texture Ratings of St. Augustinegrass Cultivars.....10

Table 15- Spring Density Ratings of St. Augustinegrass Cultivars.....11

CONTENTS (continued)

Table 16-	Summer Density Ratings of St. Augustinegrass Cultivars.....	11
Table 17-	Fall Density Ratings of St. Augustinegrass Cultivars.....	12
Table 18-	Percent Living Ground Cover (Spring) Ratings of St. Augustinegrass Cultivars.....	12
Table 19-	Percent Living Ground Cover (Summer) Ratings of St. Augustinegrass Cultivars.....	13
Table 20-	Percent Living Ground Cover (Fall) Ratings of St. Augustinegrass Cultivars.....	13
Table 21-	Winter Color Ratings of St. Augustinegrass Cultivars.....	14
Table 22-	Percent Winter Kill Ratings of St. Augustinegrass Cultivars.....	14
Table 23-	Brown Patch (Warm Temperature) Ratings of St. Augustinegrass Cultivars.....	15
Table 24-	Gray Leaf Spot Ratings of St. Augustinegrass Cultivars.....	15
Table 25-	Take-all Patch Ratings of St. Augustinegrass Cultivars.....	16
Table 26-	Fall Color (September) Ratings of St. Augustinegrass Cultivars.....	16
Table 27-	Fall Color (October) Ratings of St. Augustinegrass Cultivars.....	17
Table 28-	Fall Color (November) Ratings of St. Augustinegrass Cultivars.....	17
Table 29-	Fall Color (December) Ratings of St. Augustinegrass Cultivars.....	18
Table 30-	Seedhead Ratings of St. Augustinegrass Cultivars.....	18
Table 31-	Winter Kill Ratings of St. Augustinegrass Cultivars.....	19
Table 32-	Mole Cricket Ratings of St. Augustinegrass Cultivars.....	19
Table 33-	Large Brown Patch (Cool Temperature) Ratings of St. Augustinegrass Cultivars at Griffin, GA.....	20
Table 34-	Brown Patch Ratings of St. Augustinegrass Cultivars at Gainesville, FL.....	20
Table 35-	Brown Patch (Cool Temperature) Ratings of St. Augustinegrass Cultivars at Griffin, GA.....	21
Table 36-	Percent Establishment Ratings of St. Augustinegrass Cultivars at Gainesville, FL.....	21
Table 37-	Percent Establishment Ratings of St. Augustinegrass Cultivars at Miss. St., MS.....	22

CONTENTS

**Table 38- Percent Establishment Ratings of St. Augustinegrass
Cultivars at Raleigh, NC.....22**

**Table 39- Percent Establishment Ratings of St. Augustinegrass
Cultivars at College Station, TX.....23**

A Guide to NTEP Turfgrass Ratings

Introduction

The quality and scientific merit of NTEP data is extremely important. However, the evaluation of turfgrass species and cultivars is a difficult and complex issue. Furthermore, turfgrass evaluation is generally a subjective process based on visual estimates of factors, like genetic color, stand density, leaf texture, uniformity and quality. These factors can not be measured in the same way as other agricultural crops. Turfgrass quality is not a measure of yield or nutritive value. Turfgrass quality is a measure of aesthetics (i.e. density, uniformity, texture, smoothness, growth habit and color), and functional use. The most common way of assessing turfgrass quality is a visual rating system that is based on the turfgrass evaluator's judgement.

General Considerations

Most visual ratings collected on NTEP trials are based on a 1 to 9 rating scale. One is the poorest or lowest and 9 is the best or highest rating. However, a few characteristics, such as winter kill or percent living ground cover, are rated on a percentage basis, again by using the evaluator's judgement. Most disease ratings found in NTEP reports will use the 1-9 scale, 9=no disease except where the evaluator made a judgement of the percentage of disease in each plot. Percent disease data will be found in separate tables and will normally not be included with disease data using the 1-9 scale.

Turfgrass Quality

Turfgrass Quality is based on 9 being outstanding or ideal turf and 1 being poorest or dead. A rating of 6 or above is generally considered acceptable. A quality rating value of 9 is reserved for a perfect or ideal grass, but it also can reflect an absolutely outstanding treatment plot. The NTEP requires quality ratings on a monthly basis. Quality ratings take into account the aesthetic and functional aspects of the turf. Quality ratings are not based on color alone, but on a combination of color, density, uniformity, texture, and disease or environmental stress.

Turfgrass quality ratings are grouped and presented by region, management level, a particular stress (shade, traffic, etc.) and in some cases, by individual location (starting with 2001 data, data from each location will be posted separately as well on the NTEP web site, <http://www.ntep.org>). Also available now is a summary table (Appendix) in the back of this report. This summary table includes various statistical measures not previously compiled for NTEP reports. For an explanation of this table and these changes, please go to the NTEP web site at <http://www.ntep.org/pdf/grandmean.mem.pdf>.

Other Ratings

More detailed information on the ratings of specific characteristics can be found on the NTEP web site at <http://www.ntep.org/reports/ratings.htm>.

2007 NATIONAL ST. AUGUSTINEGRASS TEST

LOCATIONS SUBMITTING DATA FOR 2007-12

<u>State</u>	<u>Location</u>	<u>Code</u>
Florida	Gainesville	FL1
Georgia	Griffin	GA1
Mississippi	Mississippi State	MS1
North Carolina	Raleigh	NC1
Texas	College Station	TX2

2007 NATIONAL ST. AUGUSTINEGRASS TEST

Entries and Sponsors

Entry No.	Name	Sponsor
*1	Floratom	Standard entry
*2	Raleigh	Standard entry
*3	Mercedes	Standard entry
4	DALSA 0406	Texas A&M University
5	DALSA 0602	Texas A&M University
*6	Captiva (NUF-76)	Univ. of Florida/Florida Sod Growers Coop.

* COMMERCIALY AVAILABLE IN THE USA IN 2013.

TABLE A. 2007-12 LOCATIONS, SITE DESCRIPTIONS AND MANAGEMENT PRACTICES IN
 Taken from the 2007 St. Augustinegrass test - final data report with permission from NTEP
 THE 2007 NATIONAL ST. AUGUSTINEGRASS TEST

LOCATION	SOIL TEXTURE	SOIL PH	SOIL PHOSPHOROUS (LBS/ACRE)	SOIL POTASSIUM (LBS/ACRE)	NITROGEN (LBS/1000 SQ FT)	SUN OR SHADE	MOWING HEIGHT (IN)	IRRIGATION PRACTICED
FL1	SAND	6.6-7.0	-	-	1.1-2.0	FULL SUN	2.6-3.0	TO PREVENT STRESS
GA1	LOAMY SAND	5.6-6.0	61-150	151-240	7.1-8.0	FULL SUN	2.6-3.0	TO PREVENT STRESS
MS1	SANDY LOAM	6.6-7.0	151-270	241-375	2.1-3.0	FULL SUN	2.6-3.0	TO PREVENT STRESS
NC1	SILTY CLAY AND CLAY	6.1-6.5	61-150	0-150	3.1-4.0	FULL SUN	2.1-2.5	TO PREVENT STRESS
TX2	SANDY CLAY	7.6-8.5	0-60	0-150	2.1-3.0	FULL SUN	2.6-3.0	TO PREVENT STRESS

TABLE B. LOCATIONS AND DATA COLLECTED IN 2007-12

LOCATION	JANUARY QUALITY RATING	FEBRUARY QUALITY RATING	MARCH QUALITY RATING	APRIL QUALITY RATING	MAY QUALITY RATING	JUNE QUALITY RATING	JULY QUALITY RATING	AUGUST QUALITY RATING	SEPTEMBER QUALITY RATING	OCTOBER QUALITY RATING	NOVEMBER QUALITY RATING	DECEMBER QUALITY RATING	GENETIC COLOR	SPRING GREENUP	LEAF TEXTURE
FL1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
GA1			X		X	X	X	X	X	X	X		X	X	
MS1				X	X	X	X	X	X	X	X		X	X	X
NC1				X	X	X	X	X	X	X	X		X	X	X
TX2						X	X	X	X	X	X		X	X	X

TABLE B. (CONT'D) LOCATIONS AND DATA COLLECTED IN 2007-12

LOCATION	SPRING DENSITY	SUMMER DENSITY	FALL DENSITY	PERCENT COVER SPRING	PERCENT COVER SUMMER	PERCENT COVER FALL	WINTER COLOR	PERCENT WINTER KILL	BROWN PATCH WARM TEMP.	GRAY LEAF SPOT	TAKE-ALL PATCH	FALL COLOR SEPTEMBER	FALL COLOR OCTOBER	FALL COLOR NOVEMBER	FALL COLOR DECEMBER
FL1	X	X	X	X			X		X		X	X	X	X	X
GA1		X			X	X	X		X			X	X	X	X
MS1				X										X	X
NC1		X		X	X			X		X			X	X	X
TX2		X		X	X										

TABLE B. (CONT'D) LOCATIONS AND DATA COLLECTED IN 2007-12

LOCATION	SEEDHEAD RATINGS	WINTER KILL	MOLE CRICKET	LARGE BROWN PATCH		BROWN PATCH			PERCENT ESTABLISHMENT						
				NOV	DEC	SEP	NOV	DEC	AUG	SEP	OCT	NOV			
* FL1			X	X	X		X	X							
GA1	X							X	X						
MS1	X										X	X	X		
NC1		X										X	X	X	
TX2											X	X	X	X	

* MORE PERCENT ESTABLISHMENT DATA FOR FL1 IN TABLE 36.

TABLE 1. TURFGRASS QUALITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
GROWN AT FOUR LOCATIONS IN THE U.S. FOR AMMI GROUP 1 **/
2008 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/					
NAME	TX2	FL1	GA1	MS1	MEAN
DALSA 0406	5.5	6.0	6.9	6.9	6.3
* MERCEDES	4.5	5.2	6.4	6.8	5.7
* RALEIGH	4.9	5.3	6.3	6.3	5.7
DALSA 0602	4.8	5.3	6.2	6.2	5.6
* FLORATAM	5.2	5.5	6.0	5.6	5.6
* CAPTIVA (NUF-76)	4.3	5.0	6.3	6.7	5.6
LSD VALUE	1.1	1.1	1.1	1.1	1.1
C.V. (%)	14.3	13.0	11.0	10.9	12.1

TABLE 2. TURFGRASS QUALITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
GROWN AT ONE LOCATION IN THE U.S. FOR AMMI GROUP 2 **/
2008 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/	
NAME	NC1
MERCEDES	7.0
CAPTIVA (NUF-76)	7.0
DALSA 0406	6.1
RALEIGH	5.5
DALSA 0602	5.4
FLORATAM	3.3
LSD VALUE	1.1
C.V. (%)	12.2

* COMMERCIALY AVAILABLE IN THE USA IN 2013.

** ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS AMMI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE AN AMMI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON AMMI, GO TO WWW.NTEP.OR/AMMI_Q&A.PDF

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 3. TURFGRASS QUALITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
GROWN AT ONE LOCATION IN THE U.S. FOR AMMI GROUP 1 **/
2011 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	FL1
FLORATAM	4.7
MERCEDES	4.1
CAPTIVA (NUF-76)	3.8
RALEIGH	3.7
DALSA 0602	3.7
DALSA 0406	2.2
LSD VALUE	1.5
C.V. (%)	25.3

TABLE 4. TURFGRASS QUALITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
GROWN AT THREE LOCATIONS IN THE U.S. FOR AMMI GROUP 2 **/
2011 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	GA1	NC1	MS1	MEAN
MERCEDES	5.3	6.1	7.1	6.2
RALEIGH	4.7	5.3	6.0	5.3
DALSA 0406	3.7	5.0	6.4	5.0
DALSA 0602	4.4	4.6	5.0	4.7
CAPTIVA (NUF-76)	4.5	4.6	4.8	4.6
FLORATAM	4.6	3.4	2.5	3.5
LSD VALUE	1.5	1.5	1.5	1.5
C.V. (%)	20.5	19.4	17.6	19.1

** ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS AMMI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE AN AMMI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON AMMI, GO TO WWW.NTEP.OR/AMMI_Q&A.PDF

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 5. TURFGRASS QUALITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
GROWN IN LOCATION PERFORMANCE INDEX (LPI) GROUP 1 **/
2012 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	GA1
FLORATAM	6.5
MERCEDES	6.0
CAPTIVA (NUF-76)	5.9
DALSA 0602	5.8
RALEIGH	5.1
DALSA 0406	5.0
LSD VALUE	1.4
C.V. (%)	15.5

TABLE 6. TURFGRASS QUALITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
GROWN IN LOCATION PERFORMANCE INDEX (LPI) GROUP 2 **/
2012 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF 2/

NAME	FL1	NC1	MS1	MEAN
MERCEDES	4.6	7.5	6.8	6.3
DALSA 0406	3.6	6.9	6.4	5.6
CAPTIVA (NUF-76)	4.3	6.7	5.8	5.6
RALEIGH	3.7	6.7	6.1	5.5
DALSA 0602	4.2	6.1	5.0	5.1
FLORATAM	4.5	4.9	3.0	4.1
LSD VALUE	1.4	1.4	1.4	1.4
C.V. (%)	21.3	13.7	16.0	16.4

**/ ENTRIES WITHIN THIS TABLE ARE ORDERED BY THE OVERALL MEAN AND HAVE SIMILAR TURF QUALITY PERFORMANCES IN ALL TEST LOCATIONS INCLUDED IN THIS LPI GROUP. IF YOUR STATE IS NOT REPRESENTED, THEN CHOOSE A LPI GROUP THAT CONTAINS A LOCATION AND MANAGEMENT SIMILAR TO YOUR PLANTING CONDITIONS. FOR MORE INFORMATION ON LPI, GO TO WWW.NTEP.ORG/LPI_Q&A.PDF

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

Taken from the 2007 St. Augustinegrass test - final data report with permission from NTEP

TABLE 7. MEAN TURFGRASS QUALITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS
AT GAINESVILLE, FL 1/
2007-12 DATA

NAME	TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/												MEAN
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
FLORATAM	3.1	2.1	4.3	4.9	5.7	5.9	6.2	5.8	5.5	5.4	5.4	5.8	5.2
CAPTIVA (NUF-76)	3.0	2.8	3.8	3.6	4.0	4.7	5.5	5.8	5.7	5.0	4.4	4.5	4.6
DALSA 0406	3.2	1.7	3.5	4.3	4.0	4.3	5.2	6.1	6.4	5.3	4.6	3.9	4.4
MERCEDES	3.1	2.8	4.0	4.1	5.1	5.0	5.3	5.2	5.2	4.5	4.3	4.7	4.4
RALEIGH	2.9	2.3	3.4	4.2	5.2	5.6	5.4	5.0	4.9	5.0	3.9	3.9	4.4
DALSA 0602	3.3	2.1	3.4	3.9	5.0	5.0	5.2	4.7	3.7	4.6	4.2	4.1	4.3
LSD VALUE	2.8	1.3	1.6	1.9	1.6	1.6	1.4	1.2	1.2	1.7	1.1	0.9	1.2
C.V. (%)	53.5	42.6	28.9	32.4	27.5	24.3	22.0	21.8	25.4	23.8	25.2	24.0	22.1

TABLE 8. MEAN TURFGRASS QUALITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS
AT GRIFFIN, GA 1/
2007-12 DATA

NAME	TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/									MEAN
	MAR	MAY	JUN	JUL	AUG	SEP	OCT	NOV		
MERCEDES	2.7	5.8	6.3	6.7	7.0	6.8	6.3	5.4	6.3	
CAPTIVA (NUF-76)	2.7	4.5	5.5	6.4	6.5	6.7	6.2	5.9	5.8	
FLORATAM	2.7	4.7	5.3	5.9	6.7	6.3	5.8	5.6	5.8	
RALEIGH	2.0	4.7	6.1	6.2	6.6	6.7	5.3	4.8	5.7	
DALSA 0602	2.0	4.7	5.4	6.1	6.5	6.3	5.6	4.8	5.6	
DALSA 0406	2.0	4.0	4.5	5.3	6.5	6.5	5.3	5.1	5.2	
LSD VALUE	1.3	1.3	1.3	1.0	1.3	0.9	1.5	2.4	0.9	
C.V. (%)	23.5	30.8	27.3	20.0	16.9	11.2	23.5	31.2	17.7	

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 9. MEAN TURFGRASS QUALITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS
AT MISS. ST., MS 1/
2007-12 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/

NAME	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	MEAN
DALSA 0406	5.2	5.9	6.3	6.7	7.3	7.1	6.8	6.4	6.4
MERCEDES	5.6	6.3	6.5	6.6	6.9	6.9	6.6	6.6	6.4
RALEIGH	5.5	6.1	6.3	6.3	6.7	6.8	6.2	6.1	6.1
CAPTIVA (NUF-76)	4.2	4.8	5.0	5.3	5.5	5.7	5.6	5.0	5.2
DALSA 0602	3.8	4.5	5.3	5.5	5.5	5.5	5.5	5.2	5.2
FLORATAM	2.7	3.2	3.7	4.0	4.2	4.1	4.4	3.9	4.0
LSD VALUE	0.8	0.8	0.8	0.8	0.8	0.9	0.8	0.6	0.6
C.V. (%)	25.7	22.6	21.0	20.6	20.1	21.5	21.2	18.3	18.3

TABLE 10. MEAN TURFGRASS QUALITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS
AT RALEIGH, NC 1/
2007-12 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/

NAME	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	MEAN
MERCEDES	6.0	6.0	7.3	7.5	7.3	6.8	7.2	7.2	7.0
CAPTIVA (NUF-76)	4.5	4.9	6.1	6.1	6.7	6.9	6.5	6.6	6.1
DALSA 0602	3.2	4.3	6.0	6.4	6.5	5.7	6.0	5.3	5.6
RALEIGH	4.5	4.9	5.7	5.9	5.7	5.4	5.3	4.9	5.4
DALSA 0406	2.7	3.5	4.9	5.1	5.9	5.7	5.5	5.3	5.0
FLORATAM	1.2	2.7	4.0	3.9	4.1	3.9	4.5	3.7	3.7
LSD VALUE	1.1	1.3	0.9	0.8	0.7	0.7	0.7	0.8	0.6
C.V. (%)	27.2	40.8	23.6	20.9	17.2	18.5	17.9	21.7	17.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 11. MEAN TURFGRASS QUALITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS
AT COLLEGE STATION, TX 1/
2007-12 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=BEST 2/

NAME	JUN	JUL	AUG	SEP	OCT	NOV	MEAN
DALSA 0406	5.7	6.3	6.3	6.3	6.3	5.3	6.1
DALSA 0602	4.0	6.0	6.0	5.7	5.0	4.0	5.1
FLORATAM	5.0	5.0	5.0	5.3	5.3	4.0	4.9
MERCEDES	4.3	5.0	5.3	5.0	4.7	4.0	4.7
RALEIGH	4.3	4.7	5.0	5.0	4.7	4.0	4.6
CAPTIVA (NUF-76)	3.3	5.0	4.3	4.0	3.3	2.7	3.8
LSD VALUE	2.8	1.7	1.9	1.9	1.9	1.7	1.8
C.V. (%)	27.1	14.9	16.4	17.0	19.3	20.9	17.1

TABLE 12. GENETIC COLOR RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/

NAME	FL1	GA1	MS1	NC1	TX2	MEAN
CAPTIVA (NUF-76)	7.1	7.2	7.1	7.4	8.0	7.2
DALSA 0406	6.7	5.7	6.6	6.8	7.0	6.6
FLORATAM	6.8	6.2	5.8	6.7	7.3	6.4
RALEIGH	6.4	6.8	6.4	6.1	6.3	6.4
MERCEDES	5.7	6.9	6.4	6.3	6.3	6.4
DALSA 0602	6.2	5.9	5.0	4.9	7.0	5.4
LSD VALUE	1.1	1.6	0.7	1.2	0.7	0.8
C.V. (%)	10.4	15.6	6.5	11.7	5.8	11.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 13. SPRING GREENUP RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

SPRING GREENUP RATINGS 1-9; 9=COMPLETELY GREEN 2/

NAME	FL1	GA1	MS1	NC1	TX2	MEAN
MERCEDES	4.0	5.9	5.0	5.4	4.3	5.0
RALEIGH	3.2	4.2	4.5	3.8	4.3	4.0
CAPTIVA (NUF-76)	4.4	3.9	3.9	3.4	5.3	3.9
DALSA 0406	3.0	3.4	4.5	2.5	7.0	3.8
DALSA 0602	2.9	3.9	3.1	3.1	6.0	3.4
FLORATAM	3.2	3.7	2.1	1.9	5.0	2.7
LSD VALUE	1.1	1.7	0.9	1.4	2.4	0.8
C.V. (%)	18.8	26.4	15.9	26.9	27.6	22.6

TABLE 14. LEAF TEXTURE RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/

NAME	FL1	MS1	NC1	TX2	MEAN
CAPTIVA (NUF-76)	6.9	6.8	7.7	5.7	7.2
MERCEDES	5.6	6.3	7.2	5.3	6.6
RALEIGH	5.0	5.7	6.5	4.0	5.8
DALSA 0406	4.8	6.1	5.8	5.3	5.6
DALSA 0602	4.9	5.0	4.8	4.7	4.9
FLORATAM	3.6	4.2	3.7	3.0	3.9
LSD VALUE	0.7	0.6	0.8	1.5	0.5
C.V. (%)	8.8	6.7	8.6	20.2	8.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 15. SPRING DENSITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	FL1
FLORATAM	6.1
CAPTIVA (NUF-76)	5.8
RALEIGH	5.6
MERCEDES	5.6
DALSA 0406	5.3
DALSA 0602	5.2
LSD VALUE	1.3
C.V. (%)	15.2

TABLE 16. SUMMER DENSITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	FL1	GA1	NC1	TX2	MEAN
MERCEDES	6.3	7.5	7.8	4.7	7.3
DALSA 0602	6.2	6.2	6.8	5.0	6.6
RALEIGH	6.3	6.7	6.4	5.0	6.5
CAPTIVA (NUF-76)	6.7	7.2	6.0	3.7	6.3
DALSA 0406	5.6	5.3	5.2	6.7	5.5
FLORATAM	6.3	5.5	4.1	5.0	5.1
LSD VALUE	1.3	2.6	1.4	2.3	1.2
C.V. (%)	14.0	26.2	14.0	28.3	17.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 17. FALL DENSITY RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	FL1
FLORATAM	6.2
RALEIGH	5.9
CAPTIVA (NUF-76)	5.9
DALSA 0406	5.8
MERCEDES	5.8
DALSA 0602	5.4
LSD VALUE	1.3
C.V. (%)	14.1

TABLE 18. PERCENT LIVING GROUND COVER (SPRING) RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

PERCENT LIVING GROUND COVER IN SPRING: LOCATIONS 2/

NAME	FL1	MS1	NC1	TX2	MEAN
MERCEDES	46.7	87.0	95.1	26.7	79.2
RALEIGH	21.7	87.7	91.4	26.7	76.5
DALSA 0406	38.3	82.8	73.1	41.7	70.3
DALSA 0602	36.7	58.3	86.0	25.0	57.1
CAPTIVA (NUF-76)	51.7	60.0	74.3	8.3	54.7
FLORATAM	33.3	37.3	66.1	36.7	39.0
LSD VALUE	13.5	21.3	12.8	28.0	15.1
C.V. (%)	22.1	20.4	11.2	63.3	20.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 19. PERCENT LIVING GROUND COVER (SUMMER) RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

PERCENT LIVING GROUND COVER IN SUMMER: LOCATIONS 2/

NAME	GA1	NC1	TX2	MEAN
MERCEDES	84.2	97.7	36.7	81.0
FLORATAM	83.2	99.0	55.0	80.1
DALSA 0602	87.5	97.7	31.7	79.1
RALEIGH	86.5	99.0	35.0	78.9
CAPTIVA (NUF-76)	84.2	96.3	21.7	77.2
DALSA 0406	72.3	99.0	65.0	76.4
LSD VALUE	23.1	2.6	31.3	14.7
C.V. (%)	16.5	1.7	47.7	15.9

TABLE 20. PERCENT LIVING GROUND COVER (FALL) RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

PERCENT LIVING GROUND COVER IN FALL: LOCATIONS 2/

NAME	GA1
RALEIGH	96.0
FLORATAM	93.0
CAPTIVA (NUF-76)	92.7
MERCEDES	88.0
DALSA 0602	76.0
DALSA 0406	63.0
LSD VALUE	37.2
C.V. (%)	27.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 21. WINTER COLOR RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

WINTER COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/ 3/

NAME	FL1	GA1	MEAN
MERCEDES	3.5	2.7	3.7
FLORATAM	3.4	2.7	3.6
CAPTIVA (NUF-76)	3.0	2.7	3.1
DALSA 0406	3.0	2.0	3.1
RALEIGH	2.9	2.0	3.1
DALSA 0602	2.4	2.0	2.6
LSD VALUE	1.0	0.9	0.9
C.V. (%)	21.3	24.7	21.1

TABLE 22. PERCENT WINTER KILL RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

PERCENT WINTER KILL RATINGS: LOCATIONS 2/ 3/

NAME	NC1
FLORATAM	92.8
DALSA 0406	71.7
CAPTIVA (NUF-76)	50.0
DALSA 0602	39.4
RALEIGH	32.2
MERCEDES	18.4
LSD VALUE	18.4
C.V. (%)	22.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

3/ WINTER COLOR RATED AT "FL1" IN 2009, 2011-12 & AT "GA1" IN 2011, AND PERCENT WINTER KILL RATED IN 2008-09 & 2011 .

TABLE 23. BROWN PATCH (WARM TEMPERATURE) RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

BROWN PATCH RATINGS 1-9; 9=NO DISEASE 2/ 3/

NAME	FL1	GA1	MEAN
DALSA 0602	5.3	4.7	4.8
CAPTIVA (NUF-76)	4.7	5.0	4.5
DALSA 0406	.	4.5	4.5
FLORATAM	6.3	4.8	4.5
RALEIGH	4.0	4.5	4.3
MERCEDES	3.0	4.5	3.8
LSD VALUE	2.2	3.0	2.6
C.V. (%)	28.6	45.0	45.1

TABLE 24. GRAY LEAF SPOT RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

GRAY LEAF SPOT RATINGS 1-9; 9=NO DISEASE 2/ 3/

NAME	NC1
CAPTIVA (NUF-76)	8.0
DALSA 0602	8.0
DALSA 0406	7.7
MERCEDES	7.0
RALEIGH	7.0
FLORATAM	4.0
LSD VALUE	1.8
C.V. (%)	15.9

- 1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).
- 2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.
- 3/ BROWN PATCH RATED AT "FL1" IN 2011 & AT "GA1" IN 2010-11, AND GRAY LEAF SPOT RATED IN 2008.

TABLE 25. TAKE-ALL RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

TAKE-ALL PATCH RATINGS 1-9; 9=NO DISEASE 2/ 3/

NAME	FL1
FLORATAM	7.0
MERCEDES	5.0
RALEIGH	5.0
DALSA 0602	4.3
CAPTIVA (NUF-76)	3.3
DALSA 0406	3.0
LSD VALUE	1.3
C.V. (%)	17.0

TABLE 26. FALL COLOR (SEPTEMBER) RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	FL1	GA1	MEAN
CAPTIVA (NUF-76)	7.2	7.3	7.4
RALEIGH	5.8	7.1	6.9
FLORATAM	6.2	6.9	6.8
MERCEDES	5.4	7.0	6.7
DALSA 0406	7.0	6.6	6.6
DALSA 0602	3.7	6.6	6.0
LSD VALUE	1.5	1.0	1.0
C.V. (%)	16.0	9.3	11.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

3/ TAKE-ALL RATED IN 2011 ONLY.

TABLE 27. FALL COLOR (OCTOBER) RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	FL1	GA1	NC1	MEAN
FLORATAM	5.7	6.5	6.8	6.4
CAPTIVA (NUF-76)	5.7	6.3	6.9	6.4
DALSA 0602	3.8	5.8	8.1	6.3
MERCEDES	4.7	6.7	6.2	6.1
DALSA 0406	3.7	5.6	6.8	5.8
RALEIGH	5.2	5.8	4.4	5.2
LSD VALUE	1.2	1.4	1.5	1.1
C.V. (%)	15.6	15.9	14.7	16.3

TABLE 28. FALL COLOR (NOVEMBER) RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	FL1	GA1	MS1	NC1	MEAN
DALSA 0602	4.4	5.2	4.0	7.2	5.9
MERCEDES	5.0	5.4	7.0	6.6	5.9
CAPTIVA (NUF-76)	5.5	5.3	3.0	6.4	5.9
FLORATAM	5.8	5.2	4.7	5.4	5.6
DALSA 0406	4.9	4.9	5.0	5.9	5.5
RALEIGH	4.8	4.5	6.0	4.6	4.7
LSD VALUE	1.4	1.7	0.4	1.1	0.9
C.V. (%)	15.9	23.0	4.8	12.0	15.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 29. FALL COLOR (DECEMBER) RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	FL1	GA1	MS1	NC1	MEAN
MERCEDES	4.5	2.3	6.0	5.3	4.9
DALSA 0602	4.4	2.0	3.0	4.7	4.7
CAPTIVA (NUF-76)	4.6	2.0	4.0	5.1	4.6
FLORATAM	6.2	2.0	3.0	2.7	4.2
DALSA 0406	5.0	2.0	5.0	3.9	4.1
RALEIGH	3.8	2.0	4.7	3.5	3.7
LSD VALUE	1.7	0.4	0.4	1.2	1.2
C.V. (%)	21.1	11.5	5.8	18.2	19.1

TABLE 30. SEEDHEAD RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

SEEDHEAD RATINGS 1-9; 9=NONE 2/

NAME	GA1	MS1	MEAN
CAPTIVA (NUF-76)	7.7	7.2	7.2
DALSA 0602	5.3	7.2	7.1
FLORATAM	5.3	7.1	6.9
MERCEDES	8.3	5.7	6.2
DALSA 0406	3.0	6.1	5.6
RALEIGH	4.7	4.3	4.4
LSD VALUE	3.2	0.8	1.1
C.V. (%)	34.7	8.1	13.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 31. WINTER KILL RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

WINTER KILL RATINGS 1-9; 9=NONE 2/ 3/

NAME	NC1
MERCEDES	7.3
RALEIGH	7.3
DALSA 0602	5.3
CAPTIVA (NUF-76)	4.3
FLORATAM	4.3
DALSA 0406	2.3
LSD VALUE	2.6
C.V. (%)	31.6

TABLE 32. MOLE CRICKET DAMAGE RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
2007-12 DATA

MOLE CRICKET DAMAGE RATINGS 1-9; 9=NO DAMAGE 2/ 3/

NAME	FL1
RALEIGH	9.0
CAPTIVA (NUF-76)	8.7
DALSA 0406	8.7
DALSA 0602	8.7
FLORATAM	8.7
MERCEDES	8.3
LSD VALUE	0.8
C.V. (%)	6.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

3/ WINTER KILL RAT RATED IN 2010 AND MOLE CRICKET DAMAGE RATED IN 2009.

Taken from the 2007 St. Augustinegrass test - final data report with permission from NTEP
 TABLE 33. LARGE BROWN PATCH RATINGS OF ST. AUGUSTINEGRASS CULTIVARS
 AT GAINESVILLE, FL 1/
 2012 DATA

LARGE BROWN PATCH RATINGS 1-9; 9=NO DISEASE 2/

NAME	NOVEMBER	DECEMBER	MEAN
FLORATAM	6.3	7.0	6.7
DALSA 0406	6.0	6.0	6.0
CAPTIVA (NUF-76)	5.3	4.3	4.8
MERCEDES	4.5	5.0	4.8
DALSA 0602	4.7	4.0	4.3
RALEIGH	3.7	3.7	3.7
LSD VALUE	2.4	2.4	2.2
C.V. (%)	18.9	19.7	18.1

TABLE 34. BROWN PATCH RATINGS OF ST. AUGUSTINEGRASS CULTIVARS
 AT GAINESVILLE, FL 1/
 2009 DATA

BROWN PATCH RATINGS 1-9; 9=NO DISEASE 2/

NAME	NOVEMBER	DECEMBER	MEAN
FLORATAM	8.3	7.3	7.8
MERCEDES	4.7	5.3	5.0
RALEIGH	4.0	5.3	4.7
DALSA 0602	3.0	4.3	3.7
DALSA 0406	3.0	4.0	3.5
CAPTIVA (NUF-76)	3.3	3.0	3.2
LSD VALUE	1.8	1.5	1.0
C.V. (%)	22.7	16.6	12.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

Taken from the 2007 St. Augustinegrass test - final data report with permission from NTEP
 TABLE 35. BROWN PATCH (COOL TEMPERATURE) RATINGS OF ST. AUGUSTINEGRASS CULTIVARS
 AT GRIFFIN, GA 1/
 2011 DATA

BROWN PATCH RATINGS 1-9; 9=NO DISEASE 2/

NAME	SEPTEMBER	NOVEMBER	MEAN
FLORATAM	7.0	5.3	6.2
CAPTIVA (NUF-76)	5.7	5.3	5.5
DALSA 0406	6.0	5.0	5.5
DALSA 0602	4.7	4.3	4.5
MERCEDES	5.3	3.7	4.5
RALEIGH	3.7	2.7	3.2
LSD VALUE	4.9	3.8	4.1
C.V. (%)	38.0	37.8	36.1

TABLE 36. PERCENT ESTABLISHMENT RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
 AT GAINESVILLE, FL 2/
 2007-08 DATA

NAME	NOVEMBER 2007	DECEMBER 2007	JANUARY 2008	FEBRUARY 2008	MARCH 2008	APRIL 2008	MAY 2008	JUNE 2008	JULY 2008	AUGUST 2008	SEPTEMBER 2008	MEAN
FLORATAM	15.0	25.0	30.0	28.3	33.3	76.7	83.3	93.3	96.3	97.7	99	61.6
DALSA 0406	11.7	21.7	25.0	28.3	28.3	66.7	80.0	94.7	97.7	99.0	99	59.3
DALSA 0602	10.0	13.3	21.7	21.7	23.3	53.3	60.0	83.3	91.7	96.3	99	52.2
RALEIGH	5.0	10.0	18.3	18.3	21.7	50.0	63.3	88.3	90.0	94.3	99	50.8
MERCEDES	10.0	13.3	18.3	18.3	25.0	46.7	53.3	73.3	83.3	88.3	99	48.1
CAPTIVA (NUF-76)	6.7	10.0	16.7	18.3	20.0	33.3	50.0	76.7	83.3	91.7	99	46.0
LSD VALUE	2.6	7.9	5.5	9.8	8.4	18.4	16.1	14.0	12.1	10.4	0	5.9
C.V. (%)	15.3	27.3	14.0	21.6	16.8	18.3	13.5	8.4	6.6	5.1	0	6.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN.
 STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 37. PERCENT ESTABLISHMENT RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
AT MISS. ST., MS 2/
2007 DATA

NAME	SEPTEMBER	OCTOBER	NOVEMBER	MEAN
FLORATAM	61.7	93.3	98.0	84.3
DALSA 0406	50.0	85.0	93.3	76.1
RALEIGH	45.0	81.7	90.0	72.2
DALSA 0602	41.7	76.7	90.0	69.4
CAPTIVA (NUF-76)	41.7	75.0	88.3	68.3
MERCEDES	40.0	75.0	88.3	67.8
LSD VALUE	16.4	12.3	9.7	11.4
C.V. (%)	17.2	7.7	4.9	7.8

TABLE 38. PERCENT ESTABLISHMENT RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
AT RALEIGH, NC 2/
2007 DATA

NAME	SEPTEMBER	OCTOBER	NOVEMBER	MEAN
FLORATAM	75.0	92.7	96.0	87.9
DALSA 0406	78.3	84.7	91.0	84.7
MERCEDES	63.3	73.3	84.7	73.8
RALEIGH	51.7	70.0	83.0	68.2
CAPTIVA (NUF-76)	46.7	60.0	76.7	61.1
DALSA 0602	38.3	60.0	76.7	58.3
LSD VALUE	21.3	32.4	26.7	25.0
C.V. (%)	19.2	20.6	13.8	16.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

Taken from the 2007 St. Augustinegrass test - final data report with permission from NTEP

TABLE 39. PERCENT ESTABLISHMENT RATINGS OF ST. AUGUSTINEGRASS CULTIVARS 1/
AT COLLEGE STATION, TX 2/
2007 DATA

NAME	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER
FLORATAM	12.3	17.7	22.7	25.0
DALSA 0406	6.3	11.7	18.3	23.3
RALEIGH	7.0	12.3	16.0	19.3
DALSA 0602	8.7	11.3	11.3	16.7
MERCEDES	5.7	8.0	9.3	13.3
CAPTIVA (NUF-76)	5.7	7.3	7.0	8.3
LSD VALUE	6.3	11.3	21.2	21.2
C.V. (%)	38.5	44.3	65.2	52.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.