

TABLE 20C. GENETIC COLOR RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2015 DATA

NAME	GENETIC COLOR RATINGS 1-9; 9=DARK GREEN 2/												
	AL1	AR1	CA3	FL3	GA1	IN1	KS2	M01	MS1	NC1	OK1	TN1	MEAN
PATRIOT	7.7	8.7	5.7	8.3	7.0	6.7	8.0	6.0	6.0	7.7	7.7	7.0	7.2
11-T-510	8.3	8.3	7.3	7.3	7.0	5.7	7.7	5.3	6.7	7.0	7.0	8.3	7.2
OKC 1131	7.3	8.0	6.7	6.7	6.3	7.3	8.0	5.0	6.3	8.0	8.0	8.0	7.1
FAES 1325	8.0	7.7	7.0	7.7	6.3	5.3	8.0	2.7	6.3	7.0	7.3	8.3	6.8
11-T-251	7.3	7.0	7.0	7.0	6.7	7.0	7.7	1.0	6.3	7.7	7.7	8.0	6.7
TIFWAY	9.0	7.7	7.3	8.0	6.7	6.0	6.7	1.0	6.3	7.0	7.0	7.7	6.7
LATITUDE 36	6.7	7.0	7.0	7.0	6.7	8.0	6.7	4.3	6.0	7.0	6.7	7.0	6.7
CELEBRATION	8.3	7.0	6.0	7.0	6.0	5.7	8.0	1.0	6.0	8.0	7.7	8.7	6.6
TIFTUF (DT-1)	8.0	7.0	7.0	7.7	6.3	6.7	5.7	4.3	6.0	6.3	6.3	7.7	6.6
FAES 1326	7.0	7.7	7.3	7.3	5.7	6.3	6.3	2.7	6.0	7.7	6.3	8.3	6.6
OKC 1302	7.7	8.0	6.7	7.3	6.7	6.7	6.3	3.0	6.7	7.0	6.0	6.3	6.5
FAES 1327	7.7	7.0	6.3	7.7	6.3	6.0	6.7	1.0	6.3	7.3	7.0	7.3	6.4
JSC 2-21-18-V	6.7	7.0	7.3	6.0	7.0	7.7	5.0	5.0	6.0	6.0	5.0	7.7	6.4
JSC 2-21-1-V	6.3	6.7	7.0	6.7	7.0	8.0	5.0	4.3	6.0	6.3	5.0	7.3	6.3
OKC 1163	7.3	7.0	7.0	7.0	5.3	7.3	5.7	4.7	5.7	6.0	5.0	5.7	6.1
ASTRO	5.0	6.0	6.3	6.0	6.0	5.7	5.3	4.7	5.0	6.0	6.0	6.3	5.7
MSB 281	5.3	6.3	6.3	6.3	6.0	6.3	5.0	1.0	6.0	6.7	6.0	5.7	5.6
LSD VALUE	1.4	1.4	0.7	0.8	0.8	1.0	0.7	3.8	0.6	0.6	0.6	1.6	0.4
C.V. (%)	11.5	12.1	6.5	7.1	7.9	9.0	6.7	69.6	6.5	5.3	5.6	13.7	13.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 21A.

SPRING GREENUP RATINGS OF BERMUDAGRASS CULTIVARS 1/
2015 DATA

SPRING GREENUP RATINGS 1-9; 9=COMPLETELY GREEN 2/

NAME	AL1	AR1	CA3	FL3	GA1	KS2	KY1	MO1	MS1	NC1	OK1	TN1	MEAN
JSC 2-21-18-V	5.3	8.0	3.7	2.7	4.0	6.0	7.0	6.7	5.7	7.0	7.0	9.0	6.0
OKC 1131	4.3	5.7	2.0	1.3	3.3	7.3	9.0	6.7	7.0	7.7	8.7	9.0	6.0
RIVIERA	6.0	5.7	3.0	2.7	5.0	6.7	7.0	5.7	4.7	6.0	8.0	9.0	5.8
JSC 2007-8-S	6.0	6.3	3.3	2.0	5.0	7.0	5.7	4.3	4.3	7.0	8.3	8.3	5.6
JSC 2009-6-S	5.0	6.0	2.7	2.0	5.0	6.7	7.0	4.3	5.0	6.7	8.0	8.7	5.6
OKC 1163	2.0	7.0	3.3	1.0	3.3	6.0	7.0	5.7	7.0	8.0	7.7	9.0	5.6
TIFTUF (DT-1)	7.7	5.3	6.3	3.0	3.0	6.3	2.3	1.7	6.3	7.7	8.3	9.0	5.6
ASTRO	5.0	6.7	3.0	2.0	4.0	7.0	4.3	3.3	6.0	6.3	8.7	9.0	5.4
JSC 2007-13-S	4.3	6.3	3.3	2.7	5.0	6.3	6.7	4.0	4.3	6.0	8.3	8.0	5.4
OKC 1302	6.7	9.0	3.7	2.3	4.3	6.3	3.7	1.3	3.7	7.3	8.0	9.0	5.4
LATITUDE 36	7.3	7.3	3.0	2.3	3.7	6.0	6.7	1.7	4.0	7.0	7.3	9.0	5.4
OKS 2011-1	6.3	7.3	3.0	1.7	4.0	6.0	7.0	1.7	4.3	6.7	7.3	8.3	5.3
JSC 2-21-1-V	3.0	7.3	4.0	2.3	4.3	6.7	6.7	3.0	2.7	6.0	8.7	8.3	5.3
JSC 2009-2-S	4.0	6.3	3.0	2.3	3.7	6.7	6.3	2.0	4.7	5.7	8.3	8.3	5.1
YUKON	3.7	8.0	2.0	3.0	2.3	6.7	3.7	6.0	2.0	7.3	7.0	8.7	5.0
MBG 002	5.3	4.7	3.7	2.7	4.7	7.3	5.0	1.0	3.3	5.7	7.7	9.0	5.0
OKS 2011-4	4.3	5.7	2.7	1.7	4.7	6.7	5.0	1.0	3.0	6.7	7.7	8.7	4.8
11-T-510	4.0	5.0	5.3	2.3	2.7	7.3	2.3	1.7	5.0	6.0	7.3	8.0	4.8
TIFWAY	7.7	3.0	6.3	2.0	3.0	7.3	1.0	1.0	4.0	6.3	5.7	9.0	4.7
MSB 281	7.3	4.0	3.3	3.0	4.0	7.7	1.0	1.0	5.3	7.7	5.7	4.7	4.6
FAES 1327	7.0	2.7	4.3	2.3	3.7	7.0	1.0	1.0	4.3	6.0	6.0	9.0	4.5
PATRIOT	2.7	3.0	2.0	1.0	2.7	7.7	6.0	2.3	4.0	7.3	6.7	9.0	4.5
BAR C291	5.7	5.7	3.0	3.0	4.0	7.0	2.0	1.0	2.0	4.3	7.7	8.7	4.5
CELEBRATION	4.7	4.0	4.3	3.3	2.7	8.0	1.0	1.0	5.0	4.7	6.0	9.0	4.5
KASHMIR (PST-R6P0)	4.7	5.3	3.7	2.3	4.0	7.7	1.3	1.0	2.3	5.7	7.3	7.7	4.4
FAES 1325	6.7	2.3	5.0	2.7	2.3	7.7	1.3	1.0	3.3	5.0	6.0	9.0	4.4
OKS 2009-3	4.7	5.7	3.3	1.0	3.7	6.7	1.0	1.0	3.3	6.0	7.3	8.3	4.3
NORTH SHORE SLT	5.7	4.7	3.3	2.7	3.3	7.7	1.0	1.0	2.3	3.7	7.3	8.7	4.3
PST-R6T9S	3.7	4.3	3.3	2.7	3.0	7.3	1.3	1.0	2.7	6.0	7.0	7.3	4.1
11-T-251	5.0	2.3	4.3	3.0	2.0	6.7	1.7	1.0	5.3	5.3	6.0	6.7	4.1
12-TSB-1	3.7	1.0	3.7	2.3	3.3	7.3	3.3	1.0	4.0	5.7	5.7	7.0	4.0
FAES 1326	4.7	2.0	5.3	2.0	3.7	6.3	2.3	1.0	3.0	2.7	5.7	9.0	4.0
PST-R6CT	2.7	3.3	4.0	2.3	3.7	7.3	1.3	1.0	2.3	4.7	6.7	7.7	3.9
NUMEX-SAHARA	2.7	4.0	3.7	2.3	3.0	6.7	1.0	1.0	2.7	4.3	6.3	8.3	3.8
PRINCESS 77	3.0	1.0	4.0	2.0	3.0	7.3	1.7	1.0	2.0	5.0	5.7	9.0	3.7
LSD VALUE	2.2	2.2	1.0	1.2	1.3	1.0	1.9	1.3	1.9	1.1	1.3	1.3	0.4
C.V. (%)	28.3	27.3	16.2	33.9	21.8	9.0	30.8	35.7	29.6	11.3	11.6	9.7	19.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 21B. SPRING GREENUP RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2015 DATA

SPRING GREENUP RATINGS 1-9; 9=COMPLETELY GREEN 2/

NAME	AL1	AR1	CA3	FL3	GA1	KS2	KY1	MO1	MS1	NC1	OK1	TN1	MEAN
RIVIERA	6.0	5.7	3.0	2.7	5.0	6.7	7.0	5.7	4.7	6.0	8.0	9.0	5.8
JSC 2007-8-S	6.0	6.3	3.3	2.0	5.0	7.0	5.7	4.3	4.3	7.0	8.3	8.3	5.6
JSC 2009-6-S	5.0	6.0	2.7	2.0	5.0	6.7	7.0	4.3	5.0	6.7	8.0	8.7	5.6
JSC 2007-13-S	4.3	6.3	3.3	2.7	5.0	6.3	6.7	4.0	4.3	6.0	8.3	8.0	5.4
OKS 2011-1	6.3	7.3	3.0	1.7	4.0	6.0	7.0	1.7	4.3	6.7	7.3	8.3	5.3
JSC 2009-2-S	4.0	6.3	3.0	2.3	3.7	6.7	6.3	2.0	4.7	5.7	8.3	8.3	5.1
YUKON	3.7	8.0	2.0	3.0	2.3	6.7	3.7	6.0	2.0	7.3	7.0	8.7	5.0
MBG 002	5.3	4.7	3.7	2.7	4.7	7.3	5.0	1.0	3.3	5.7	7.7	9.0	5.0
OKS 2011-4	4.3	5.7	2.7	1.7	4.7	6.7	5.0	1.0	3.0	6.7	7.7	8.7	4.8
BAR C291	5.7	5.7	3.0	3.0	4.0	7.0	2.0	1.0	2.0	4.3	7.7	8.7	4.5
KASHMIR (PST-R6P0)	4.7	5.3	3.7	2.3	4.0	7.7	1.3	1.0	2.3	5.7	7.3	7.7	4.4
OKS 2009-3	4.7	5.7	3.3	1.0	3.7	6.7	1.0	1.0	3.3	6.0	7.3	8.3	4.3
NORTH SHORE SLT	5.7	4.7	3.3	2.7	3.3	7.7	1.0	1.0	2.3	3.7	7.3	8.7	4.3
PST-R6T9S	3.7	4.3	3.3	2.7	3.0	7.3	1.3	1.0	2.7	6.0	7.0	7.3	4.1
12-TSB-1	3.7	1.0	3.7	2.3	3.3	7.3	3.3	1.0	4.0	5.7	5.7	7.0	4.0
PST-R6CT	2.7	3.3	4.0	2.3	3.7	7.3	1.3	1.0	2.3	4.7	6.7	7.7	3.9
NUMEX-SAHARA	2.7	4.0	3.7	2.3	3.0	6.7	1.0	1.0	2.7	4.3	6.3	8.3	3.8
PRINCESS 77	3.0	1.0	4.0	2.0	3.0	7.3	1.7	1.0	2.0	5.0	5.7	9.0	3.7
LSD VALUE	2.3	2.1	0.9	1.1	1.4	1.0	2.1	1.0	1.7	1.2	1.0	1.2	0.4
C.V. (%)	31.4	25.6	17.2	30.8	22.1	9.0	35.6	27.4	32.0	13.0	8.9	8.7	19.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 21C. SPRING GREENUP RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2015 DATA

NAME	SPRING GREENUP RATINGS 1-9; 9=COMPLETELY GREEN 2/												
	AL1	AR1	CA3	FL3	GA1	KS2	KY1	MO1	MS1	NC1	OK1	TN1	MEAN
JSC 2-21-18-V	5.3	8.0	3.7	2.7	4.0	6.0	7.0	6.7	5.7	7.0	7.0	9.0	6.0
OKC 1131	4.3	5.7	2.0	1.3	3.3	7.3	9.0	6.7	7.0	7.7	8.7	9.0	6.0
OKC 1163	2.0	7.0	3.3	1.0	3.3	6.0	7.0	5.7	7.0	8.0	7.7	9.0	5.6
TIFTUF (DT-1)	7.7	5.3	6.3	3.0	3.0	6.3	2.3	1.7	6.3	7.7	8.3	9.0	5.6
ASTRO	5.0	6.7	3.0	2.0	4.0	7.0	4.3	3.3	6.0	6.3	8.7	9.0	5.4
OKC 1302	6.7	9.0	3.7	2.3	4.3	6.3	3.7	1.3	3.7	7.3	8.0	9.0	5.4
LATITUDE 36	7.3	7.3	3.0	2.3	3.7	6.0	6.7	1.7	4.0	7.0	7.3	9.0	5.4
JSC 2-21-1-V	3.0	7.3	4.0	2.3	4.3	6.7	6.7	3.0	2.7	6.0	8.7	8.3	5.3
11-T-510	4.0	5.0	5.3	2.3	2.7	7.3	2.3	1.7	5.0	6.0	7.3	8.0	4.8
TIFWAY	7.7	3.0	6.3	2.0	3.0	7.3	1.0	1.0	4.0	6.3	5.7	9.0	4.7
MSB 281	7.3	4.0	3.3	3.0	4.0	7.7	1.0	1.0	5.3	7.7	5.7	4.7	4.6
FAES 1327	7.0	2.7	4.3	2.3	3.7	7.0	1.0	1.0	4.3	6.0	6.0	9.0	4.5
PATRIOT	2.7	3.0	2.0	1.0	2.7	7.7	6.0	2.3	4.0	7.3	6.7	9.0	4.5
CELEBRATION	4.7	4.0	4.3	3.3	2.7	8.0	1.0	1.0	5.0	4.7	6.0	9.0	4.5
FAES 1325	6.7	2.3	5.0	2.7	2.3	7.7	1.3	1.0	3.3	5.0	6.0	9.0	4.4
11-T-251	5.0	2.3	4.3	3.0	2.0	6.7	1.7	1.0	5.3	5.3	6.0	6.7	4.1
FAES 1326	4.7	2.0	5.3	2.0	3.7	6.3	2.3	1.0	3.0	2.7	5.7	9.0	4.0
LSD VALUE	2.2	2.3	1.0	1.4	1.1	1.0	1.5	1.6	2.1	1.0	1.6	1.5	0.5
C.V. (%)	25.5	29.1	15.4	36.9	21.4	9.1	24.8	41.5	27.5	9.6	14.1	10.7	19.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 22A. LEAF TEXTURE RATINGS OF BERMUDAGRASS CULTIVARS 1/
2015 DATA

NAME	LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/								MEAN
	AL1	AR1	IN1	KS2	MS1	NC1	OK1	TN1	
OKC 1163	9.0	9.0	8.3	8.7	8.0	7.0	8.0	1.0	7.4
JSC 2-21-18-V	7.7	7.7	7.3	8.0	7.0	7.0	7.7	1.7	6.8
LATITUDE 36	8.0	8.0	7.7	7.7	7.0	6.3	6.7	2.0	6.7
OKC 1131	7.7	8.3	7.0	6.7	7.0	7.0	6.3	2.0	6.5
JSC 2-21-1-V	7.7	8.0	7.3	7.7	6.3	6.7	6.3	1.3	6.4
TIFTUF (DT-1)	7.0	7.7	6.7	7.0	7.0	6.0	7.0	1.7	6.3
FAES 1326	7.3	8.0	6.3	7.0	5.7	6.0	6.7	2.3	6.2
OKC 1302	6.0	8.0	6.7	7.3	6.0	6.7	6.7	2.0	6.2
11-T-251	6.7	7.0	7.0	7.0	6.7	6.0	6.7	2.0	6.1
TIFWAY	6.0	7.0	7.0	6.3	7.0	6.0	7.0	2.0	6.0
PATRIOT	6.7	7.0	7.0	5.7	6.0	6.0	6.7	3.0	6.0
MSB 281	7.0	6.7	7.0	5.0	7.0	6.3	6.3	2.3	6.0
FAES 1327	5.3	7.0	7.0	6.3	6.0	6.0	7.0	2.0	5.8
11-T-510	6.7	6.3	6.0	6.7	6.3	6.0	6.3	1.3	5.7
FAES 1325	5.7	6.3	5.7	6.3	5.7	6.0	7.0	3.0	5.7
PRINCESS 77	5.3	6.7	6.7	5.3	5.7	6.0	6.0	3.0	5.6
12-TSB-1	5.7	6.0	6.3	5.3	5.7	6.0	6.3	3.0	5.5
ASTRO	4.7	6.3	6.3	5.7	6.0	5.7	6.3	2.7	5.5
JSC 2009-6-S	4.7	5.3	6.0	5.7	6.0	6.0	6.3	2.3	5.3
CELEBRATION	4.7	4.3	6.0	6.0	5.7	6.0	7.0	2.7	5.3
JSC 2007-13-S	4.3	6.0	5.3	6.0	6.0	6.0	6.0	2.3	5.3
MBG 002	4.7	5.3	5.7	5.3	6.0	6.0	6.3	2.7	5.3
JSC 2009-2-S	4.3	5.3	5.7	5.3	6.0	6.0	6.7	2.7	5.3
PST-R6T9S	4.0	5.3	6.3	5.7	5.3	6.0	6.3	2.3	5.2
RIVIERA	4.3	6.0	5.7	5.3	5.3	6.0	6.7	2.0	5.2
OKS 2011-1	3.3	6.0	5.3	5.3	6.0	6.0	6.0	2.7	5.1
PST-R6CT	3.3	6.3	6.3	5.0	5.3	5.7	6.0	2.7	5.1
BAR C291	2.7	5.3	5.7	5.7	5.0	5.7	6.3	3.0	4.9
JSC 2007-8-S	3.0	4.7	5.0	6.0	6.0	6.0	6.3	2.0	4.9
YUKON	2.7	5.3	6.0	5.3	4.7	6.0	6.0	2.7	4.8
OKS 2009-3	3.0	4.7	5.3	5.0	5.3	5.7	6.0	2.7	4.7
OKS 2011-4	3.0	5.0	5.3	5.0	5.0	5.3	6.0	3.0	4.7
KASHMIR (PST-R6P0)	3.0	4.3	6.3	5.0	5.0	5.3	5.7	2.3	4.6
NORTH SHORE SLT	2.3	5.3	4.7	5.0	4.7	5.0	6.0	2.3	4.4
NUMEX-SAHARA	2.0	5.3	4.3	5.7	4.7	4.7	6.0	2.7	4.4
LSD VALUE	1.6	0.8	0.9	0.8	0.6	0.5	0.8	0.9	0.3
C.V. (%)	19.4	7.6	9.4	8.1	6.4	5.4	7.2	24.8	10.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 22B. LEAF TEXTURE RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2015 DATA

NAME	LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/								MEAN
	AL1	AR1	IN1	KS2	MS1	NC1	OK1	TN1	
PRINCESS 77	5.3	6.7	6.7	5.3	5.7	6.0	6.0	3.0	5.6
12-TSB-1	5.7	6.0	6.3	5.3	5.7	6.0	6.3	3.0	5.5
JSC 2009-6-S	4.7	5.3	6.0	5.7	6.0	6.0	6.3	2.3	5.3
JSC 2007-13-S	4.3	6.0	5.3	6.0	6.0	6.0	6.0	2.3	5.3
MBG 002	4.7	5.3	5.7	5.3	6.0	6.0	6.3	2.7	5.3
JSC 2009-2-S	4.3	5.3	5.7	5.3	6.0	6.0	6.7	2.7	5.3
PST-R6T9S	4.0	5.3	6.3	5.7	5.3	6.0	6.3	2.3	5.2
RIVIERA	4.3	6.0	5.7	5.3	5.3	6.0	6.7	2.0	5.2
OKS 2011-1	3.3	6.0	5.3	5.3	6.0	6.0	6.0	2.7	5.1
PST-R6CT	3.3	6.3	6.3	5.0	5.3	5.7	6.0	2.7	5.1
BAR C291	2.7	5.3	5.7	5.7	5.0	5.7	6.3	3.0	4.9
JSC 2007-8-S	3.0	4.7	5.0	6.0	6.0	6.0	6.3	2.0	4.9
YUKON	2.7	5.3	6.0	5.3	4.7	6.0	6.0	2.7	4.8
OKS 2009-3	3.0	4.7	5.3	5.0	5.3	5.7	6.0	2.7	4.7
OKS 2011-4	3.0	5.0	5.3	5.0	5.0	5.3	6.0	3.0	4.7
KASHMIR (PST-R6P0)	3.0	4.3	6.3	5.0	5.0	5.3	5.7	2.3	4.6
NORTH SHORE SLT	2.3	5.3	4.7	5.0	4.7	5.0	6.0	2.3	4.4
NUMEX-SAHARA	2.0	5.3	4.3	5.7	4.7	4.7	6.0	2.7	4.4
LSD VALUE	1.6	0.8	1.0	0.8	0.7	0.5	0.7	0.8	0.3
C.V. (%)	27.4	9.0	11.0	9.4	7.5	5.8	6.6	18.3	11.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 22C. LEAF TEXTURE RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2015 DATA

NAME	LEAF TEXTURE RATINGS 1-9; 9=VERY FINE 2/								MEAN
	AL1	AR1	IN1	KS2	MS1	NC1	OK1	TN1	
OKC 1163	9.0	9.0	8.3	8.7	8.0	7.0	8.0	1.0	7.4
JSC 2-21-18-V	7.7	7.7	7.3	8.0	7.0	7.0	7.7	1.7	6.8
LATITUDE 36	8.0	8.0	7.7	7.7	7.0	6.3	6.7	2.0	6.7
OKC 1131	7.7	8.3	7.0	6.7	7.0	7.0	6.3	2.0	6.5
JSC 2-21-1-V	7.7	8.0	7.3	7.7	6.3	6.7	6.3	1.3	6.4
TIFTUF (DT-1)	7.0	7.7	6.7	7.0	7.0	6.0	7.0	1.7	6.3
FAES 1326	7.3	8.0	6.3	7.0	5.7	6.0	6.7	2.3	6.2
OKC 1302	6.0	8.0	6.7	7.3	6.0	6.7	6.7	2.0	6.2
11-T-251	6.7	7.0	7.0	7.0	6.7	6.0	6.7	2.0	6.1
TIFWAY	6.0	7.0	7.0	6.3	7.0	6.0	7.0	2.0	6.0
PATRIOT	6.7	7.0	7.0	5.7	6.0	6.0	6.7	3.0	6.0
MSB 281	7.0	6.7	7.0	5.0	7.0	6.3	6.3	2.3	6.0
FAES 1327	5.3	7.0	7.0	6.3	6.0	6.0	7.0	2.0	5.8
11-T-510	6.7	6.3	6.0	6.7	6.3	6.0	6.3	1.3	5.7
FAES 1325	5.7	6.3	5.7	6.3	5.7	6.0	7.0	3.0	5.7
ASTRO	4.7	6.3	6.3	5.7	6.0	5.7	6.3	2.7	5.5
CELEBRATION	4.7	4.3	6.0	6.0	5.7	6.0	7.0	2.7	5.3
LSD VALUE	1.6	0.7	0.9	0.7	0.6	0.5	0.8	1.1	0.3
C.V. (%)	14.8	6.4	7.9	6.9	5.3	5.0	7.7	32.6	9.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 23A. SPRING DENSITY RATINGS OF BERMUDAGRASS CULTIVARS 1/
2015 DATA

NAME	DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/					MEAN
	AR1	CA3	FL3	NC1	OK1	
JSC 2-21-18-V	8.3	7.0	5.3	8.0	7.7	7.3
OKC 1131	8.3	6.3	5.0	8.0	8.0	7.1
JSC 2-21-1-V	8.0	6.7	4.3	8.0	8.0	7.0
TIFTUF (DT-1)	7.3	6.7	5.0	8.0	7.3	6.9
LATITUDE 36	8.0	6.7	4.0	7.7	7.7	6.8
OKC 1163	9.0	6.7	2.3	8.0	8.0	6.8
OKC 1302	7.3	6.3	5.0	8.0	7.3	6.8
TIFWAY	8.0	7.0	5.0	7.3	6.7	6.8
11-T-510	7.3	6.7	5.0	7.0	7.0	6.6
11-T-251	7.3	6.3	5.0	6.7	7.3	6.5
FAES 1327	7.7	6.0	4.3	7.7	6.7	6.5
PATRIOT	7.3	6.0	3.7	8.0	6.7	6.3
ASTRO	6.7	6.3	4.7	7.0	6.7	6.3
FAES 1325	6.3	6.7	5.3	6.3	6.0	6.1
FAES 1326	7.7	7.0	4.7	4.7	6.3	6.1
JSC 2009-6-S	6.3	6.0	5.0	6.7	6.3	6.1
MBG 002	6.0	6.0	5.0	6.3	6.3	5.9
JSC 2009-2-S	6.0	6.0	4.7	6.7	6.0	5.9
RIVIERA	5.7	6.0	5.3	6.3	6.0	5.9
JSC 2007-8-S	5.7	6.0	5.0	6.3	6.0	5.8
MSB 281	5.7	6.0	3.3	8.0	6.0	5.8
12-TSB-1	5.0	6.3	6.0	5.0	6.3	5.7
JSC 2007-13-S	6.0	6.0	4.3	6.3	6.0	5.7
CELEBRATION	5.7	6.0	4.7	5.7	5.7	5.5
OKS 2011-1	5.7	6.0	3.3	6.3	6.0	5.5
PRINCESS 77	6.0	6.0	4.0	5.0	6.3	5.5
YUKON	5.3	5.7	4.3	6.3	5.3	5.4
KASHMIR (PST-R6P0)	4.7	6.0	4.7	4.7	5.7	5.1
OKS 2009-3	5.7	6.0	3.3	5.0	5.7	5.1
PST-R6CT	5.0	6.0	5.3	4.0	5.3	5.1
BAR C291	5.0	6.0	5.0	4.0	5.3	5.1
OKS 2011-4	5.0	6.0	4.3	5.0	5.0	5.1
PST-R6T9S	4.7	6.0	4.0	4.0	5.3	4.8
NORTH SHORE SLT	4.3	6.0	4.0	4.0	5.0	4.7
NUMEX-SAHARA	3.7	6.0	4.3	4.0	4.7	4.5
LSD VALUE	1.2	0.5	1.6	1.5	0.8	0.5
C.V. (%)	11.5	5.4	21.6	14.8	8.2	12.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 23B. SPRING DENSITY RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2015 DATA

NAME	DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/					MEAN
	AR1	CA3	FL3	NC1	OK1	
JSC 2009-6-S	6.3	6.0	5.0	6.7	6.3	6.1
MBG 002	6.0	6.0	5.0	6.3	6.3	5.9
JSC 2009-2-S	6.0	6.0	4.7	6.7	6.0	5.9
RIVIERA	5.7	6.0	5.3	6.3	6.0	5.9
JSC 2007-8-S	5.7	6.0	5.0	6.3	6.0	5.8
12-TSB-1	5.0	6.3	6.0	5.0	6.3	5.7
JSC 2007-13-S	6.0	6.0	4.3	6.3	6.0	5.7
OKS 2011-1	5.7	6.0	3.3	6.3	6.0	5.5
PRINCESS 77	6.0	6.0	4.0	5.0	6.3	5.5
YUKON	5.3	5.7	4.3	6.3	5.3	5.4
KASHMIR (PST-R6P0)	4.7	6.0	4.7	4.7	5.7	5.1
OKS 2009-3	5.7	6.0	3.3	5.0	5.7	5.1
PST-R6CT	5.0	6.0	5.3	4.0	5.3	5.1
BAR C291	5.0	6.0	5.0	4.0	5.3	5.1
OKS 2011-4	5.0	6.0	4.3	5.0	5.0	5.1
PST-R6T9S	4.7	6.0	4.0	4.0	5.3	4.8
NORTH SHORE SLT	4.3	6.0	4.0	4.0	5.0	4.7
NUMEX-SAHARA	3.7	6.0	4.3	4.0	4.7	4.5
LSD VALUE	1.3	0.3	1.7	1.7	0.8	0.6
C.V. (%)	14.9	3.2	22.7	20.3	8.9	14.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 23C. SPRING DENSITY RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2015 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	AR1	CA3	FL3	NC1	OK1	MEAN
JSC 2-21-18-V	8.3	7.0	5.3	8.0	7.7	7.3
OKC 1131	8.3	6.3	5.0	8.0	8.0	7.1
JSC 2-21-1-V	8.0	6.7	4.3	8.0	8.0	7.0
TIFTUF (DT-1)	7.3	6.7	5.0	8.0	7.3	6.9
LATITUDE 36	8.0	6.7	4.0	7.7	7.7	6.8
OKC 1163	9.0	6.7	2.3	8.0	8.0	6.8
OKC 1302	7.3	6.3	5.0	8.0	7.3	6.8
TIFWAY	8.0	7.0	5.0	7.3	6.7	6.8
11-T-510	7.3	6.7	5.0	7.0	7.0	6.6
11-T-251	7.3	6.3	5.0	6.7	7.3	6.5
FAES 1327	7.7	6.0	4.3	7.7	6.7	6.5
PATRIOT	7.3	6.0	3.7	8.0	6.7	6.3
ASTRO	6.7	6.3	4.7	7.0	6.7	6.3
FAES 1325	6.3	6.7	5.3	6.3	6.0	6.1
FAES 1326	7.7	7.0	4.7	4.7	6.3	6.1
MSB 281	5.7	6.0	3.3	8.0	6.0	5.8
CELEBRATION	5.7	6.0	4.7	5.7	5.7	5.5
LSD VALUE	1.1	0.7	1.5	1.2	0.8	0.5
C.V. (%)	8.9	6.8	20.4	10.2	7.5	10.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 24A. SUMMER DENSITY RATINGS OF BERMUDAGRASS CULTIVARS 1/
2015 DATA

NAME	DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/					MEAN
	CA3	FL3	IN1	NC1	OK1	
OKC 1163	5.7	6.7	8.3	8.7	8.0	7.5
TIFTUF (DT-1)	7.7	7.0	7.0	8.0	7.3	7.4
JSC 2-21-1-V	7.7	6.3	7.7	8.0	7.0	7.3
LATITUDE 36	6.3	7.0	8.0	8.3	7.0	7.3
JSC 2-21-18-V	6.3	7.3	7.7	8.0	7.0	7.3
OKC 1131	6.3	6.3	7.3	8.3	7.7	7.2
11-T-251	7.7	6.3	7.0	7.7	7.0	7.1
11-T-510	7.3	7.0	6.3	8.3	6.7	7.1
OKC 1302	6.0	7.7	6.7	8.0	7.0	7.1
TIFWAY	6.3	7.0	7.3	7.7	7.0	7.1
FAES 1327	7.0	6.7	6.7	7.3	7.0	6.9
RIVIERA	8.0	6.3	6.0	7.7	6.0	6.8
PRINCESS 77	7.3	6.7	6.7	7.0	6.0	6.7
PATRIOT	5.3	6.7	7.0	8.0	6.7	6.7
FAES 1326	6.7	7.0	6.7	6.7	6.3	6.7
FAES 1325	6.0	7.3	6.3	7.3	6.3	6.7
12-TSB-1	7.3	6.7	7.0	6.3	5.7	6.6
MBG 002	6.3	6.7	6.3	7.7	6.0	6.6
MSB 281	7.3	5.0	6.7	8.0	6.0	6.6
ASTRO	6.7	7.0	5.0	7.7	6.3	6.5
JSC 2009-6-S	8.0	5.7	6.0	7.0	6.0	6.5
JSC 2007-13-S	7.0	6.3	5.3	7.7	6.3	6.5
JSC 2009-2-S	7.7	6.0	5.3	7.0	6.3	6.5
JSC 2007-8-S	7.3	6.3	5.7	7.0	6.0	6.5
KASHMIR (PST-R6P0)	8.0	6.0	6.7	5.7	5.7	6.4
YUKON	6.3	6.0	6.3	7.0	6.3	6.4
OKS 2011-4	8.3	6.0	5.0	6.7	5.7	6.3
BAR C291	7.7	6.7	5.3	5.7	6.0	6.3
CELEBRATION	5.7	6.0	6.0	8.0	5.7	6.3
OKS 2011-1	5.0	6.3	5.7	7.7	5.7	6.1
NORTH SHORE SLT	7.7	5.3	5.0	5.3	6.0	5.9
PST-R6CT	6.7	5.3	5.7	5.0	5.7	5.7
NUMEX-SAHARA	6.3	5.7	6.0	5.3	5.0	5.7
OKS 2009-3	6.0	5.7	5.0	6.3	5.3	5.7
PST-R6T9S	6.3	5.0	6.0	5.3	5.7	5.7
LSD VALUE	1.0	1.1	0.9	1.0	0.7	0.4
C.V. (%)	9.5	10.4	8.8	8.9	6.5	8.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 24B. SUMMER DENSITY RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2015 DATA

NAME	DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/					MEAN
	CA3	FL3	IN1	NC1	OK1	
RIVIERA	8.0	6.3	6.0	7.7	6.0	6.8
PRINCESS 77	7.3	6.7	6.7	7.0	6.0	6.7
12-TSB-1	7.3	6.7	7.0	6.3	5.7	6.6
MBG 002	6.3	6.7	6.3	7.7	6.0	6.6
JSC 2009-6-S	8.0	5.7	6.0	7.0	6.0	6.5
JSC 2007-13-S	7.0	6.3	5.3	7.7	6.3	6.5
JSC 2009-2-S	7.7	6.0	5.3	7.0	6.3	6.5
JSC 2007-8-S	7.3	6.3	5.7	7.0	6.0	6.5
KASHMIR (PST-R6P0)	8.0	6.0	6.7	5.7	5.7	6.4
YUKON	6.3	6.0	6.3	7.0	6.3	6.4
OKS 2011-4	8.3	6.0	5.0	6.7	5.7	6.3
BAR C291	7.7	6.7	5.3	5.7	6.0	6.3
OKS 2011-1	5.0	6.3	5.7	7.7	5.7	6.1
NORTH SHORE SLT	7.7	5.3	5.0	5.3	6.0	5.9
PST-R6CT	6.7	5.3	5.7	5.0	5.7	5.7
NUMEX-SAHARA	6.3	5.7	6.0	5.3	5.0	5.7
OKS 2009-3	6.0	5.7	5.0	6.3	5.3	5.7
PST-R6T9S	6.3	5.0	6.0	5.3	5.7	5.7
LSD VALUE	1.1	1.2	1.0	1.3	0.7	0.5
C.V. (%)	9.4	12.6	10.2	12.0	7.4	10.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 24C. SUMMER DENSITY RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2015 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	CA3	FL3	IN1	NC1	OK1	MEAN
OKC 1163	5.7	6.7	8.3	8.7	8.0	7.5
TIFTUF (DT-1)	7.7	7.0	7.0	8.0	7.3	7.4
JSC 2-21-1-V	7.7	6.3	7.7	8.0	7.0	7.3
LATITUDE 36	6.3	7.0	8.0	8.3	7.0	7.3
JSC 2-21-18-V	6.3	7.3	7.7	8.0	7.0	7.3
OKC 1131	6.3	6.3	7.3	8.3	7.7	7.2
11-T-251	7.7	6.3	7.0	7.7	7.0	7.1
11-T-510	7.3	7.0	6.3	8.3	6.7	7.1
OKC 1302	6.0	7.7	6.7	8.0	7.0	7.1
TIFWAY	6.3	7.0	7.3	7.7	7.0	7.1
FAES 1327	7.0	6.7	6.7	7.3	7.0	6.9
PATRIOT	5.3	6.7	7.0	8.0	6.7	6.7
FAES 1326	6.7	7.0	6.7	6.7	6.3	6.7
FAES 1325	6.0	7.3	6.3	7.3	6.3	6.7
MSB 281	7.3	5.0	6.7	8.0	6.0	6.6
ASTRO	6.7	7.0	5.0	7.7	6.3	6.5
CELEBRATION	5.7	6.0	6.0	8.0	5.7	6.3
LSD VALUE	1.0	0.9	0.8	0.7	0.6	0.4
C.V. (%)	9.5	8.1	7.6	5.6	5.8	7.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 25A. FALL DENSITY RATINGS OF BERMUDAGRASS CULTIVARS 1/
2015 DATA

NAME	DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/					MEAN
	AR1	CA3	FL3	NC1	OK1	
11-T-510	8.0	8.3	7.0	7.7	6.3	7.5
OKC 1163	9.0	7.7	5.3	7.3	8.0	7.5
LATITUDE 36	8.0	7.3	6.3	8.0	7.0	7.3
OKC 1131	8.0	8.0	5.7	8.0	6.7	7.3
TIFTUF (DT-1)	7.3	8.3	6.7	8.0	6.0	7.3
FAES 1326	7.3	8.0	7.0	7.3	6.3	7.2
JSC 2-21-18-V	8.0	7.3	6.7	8.0	6.0	7.2
TIFWAY	7.3	8.0	6.3	7.0	7.0	7.1
FAES 1325	6.7	7.7	7.0	8.0	6.0	7.1
PRINCESS 77	7.0	7.3	7.0	7.7	6.3	7.1
JSC 2-21-1-V	7.3	7.3	5.7	8.0	6.7	7.0
CELEBRATION	6.0	7.0	6.7	7.7	7.0	6.9
OKC 1302	7.7	7.3	5.3	7.7	6.3	6.9
FAES 1327	7.3	6.7	7.0	7.3	6.0	6.9
PATRIOT	7.3	6.3	6.3	7.7	6.0	6.7
12-TSB-1	6.7	6.7	7.0	7.3	5.7	6.7
MBG 002	6.0	7.3	6.7	7.3	6.0	6.7
11-T-251	6.3	7.0	6.3	6.7	6.7	6.6
ASTRO	6.3	7.0	6.0	7.0	6.3	6.5
MSB 281	6.3	6.7	4.7	8.0	6.0	6.3
JSC 2007-13-S	6.3	6.3	5.3	7.3	6.0	6.3
JSC 2009-6-S	6.3	6.0	6.0	7.0	6.0	6.3
OKS 2011-1	6.3	7.0	5.3	6.7	6.0	6.3
RIVIERA	6.7	6.3	5.3	7.0	6.0	6.3
JSC 2007-8-S	6.0	6.7	5.3	7.0	6.0	6.2
JSC 2009-2-S	6.3	6.0	6.0	6.7	6.0	6.2
BAR C291	5.7	7.0	5.7	6.3	5.7	6.1
YUKON	5.3	7.0	5.3	7.0	5.7	6.1
NORTH SHORE SLT	6.0	6.3	4.3	6.7	6.0	5.9
KASHMIR (PST-R6P0)	5.0	5.7	4.7	6.3	6.0	5.5
OKS 2009-3	6.0	4.7	5.0	6.3	5.7	5.5
OKS 2011-4	5.7	6.3	4.7	5.7	5.3	5.5
PST-R6CT	5.3	6.0	6.0	4.3	6.0	5.5
PST-R6T9S	5.0	5.0	5.0	6.3	6.0	5.5
NUMEX-SAHARA	4.7	7.0	5.0	4.7	5.3	5.3
LSD VALUE	1.0	1.2	1.3	1.3	0.6	0.5
C.V. (%)	9.4	10.4	14.2	11.6	6.5	10.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 25B. FALL DENSITY RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2015 DATA

NAME	DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/					MEAN
	AR1	CA3	FL3	NC1	OK1	
PRINCESS 77	7.0	7.3	7.0	7.7	6.3	7.1
12-TSB-1	6.7	6.7	7.0	7.3	5.7	6.7
MBG 002	6.0	7.3	6.7	7.3	6.0	6.7
JSC 2007-13-S	6.3	6.3	5.3	7.3	6.0	6.3
JSC 2009-6-S	6.3	6.0	6.0	7.0	6.0	6.3
OKS 2011-1	6.3	7.0	5.3	6.7	6.0	6.3
RIVIERA	6.7	6.3	5.3	7.0	6.0	6.3
JSC 2007-8-S	6.0	6.7	5.3	7.0	6.0	6.2
JSC 2009-2-S	6.3	6.0	6.0	6.7	6.0	6.2
BAR C291	5.7	7.0	5.7	6.3	5.7	6.1
YUKON	5.3	7.0	5.3	7.0	5.7	6.1
NORTH SHORE SLT	6.0	6.3	4.3	6.7	6.0	5.9
KASHMIR (PST-R6P0)	5.0	5.7	4.7	6.3	6.0	5.5
OKS 2009-3	6.0	4.7	5.0	6.3	5.7	5.5
OKS 2011-4	5.7	6.3	4.7	5.7	5.3	5.5
PST-R6CT	5.3	6.0	6.0	4.3	6.0	5.5
PST-R6T9S	5.0	5.0	5.0	6.3	6.0	5.5
NUMEX-SAHARA	4.7	7.0	5.0	4.7	5.3	5.3
LSD VALUE	0.9	1.0	1.4	1.4	0.6	0.5
C.V. (%)	9.5	9.3	15.5	13.3	6.1	11.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 25C. FALL DENSITY RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2015 DATA

DENSITY RATINGS 1-9; 9=MAXIMUM DENSITY 2/

NAME	AR1	CA3	FL3	NC1	OK1	MEAN
11-T-510	8.0	8.3	7.0	7.7	6.3	7.5
OKC 1163	9.0	7.7	5.3	7.3	8.0	7.5
LATITUDE 36	8.0	7.3	6.3	8.0	7.0	7.3
OKC 1131	8.0	8.0	5.7	8.0	6.7	7.3
TIFTUF (DT-1)	7.3	8.3	6.7	8.0	6.0	7.3
FAES 1326	7.3	8.0	7.0	7.3	6.3	7.2
JSC 2-21-18-V	8.0	7.3	6.7	8.0	6.0	7.2
TIFWAY	7.3	8.0	6.3	7.0	7.0	7.1
FAES 1325	6.7	7.7	7.0	8.0	6.0	7.1
JSC 2-21-1-V	7.3	7.3	5.7	8.0	6.7	7.0
CELEBRATION	6.0	7.0	6.7	7.7	7.0	6.9
OKC 1302	7.7	7.3	5.3	7.7	6.3	6.9
FAES 1327	7.3	6.7	7.0	7.3	6.0	6.9
PATRIOT	7.3	6.3	6.3	7.7	6.0	6.7
11-T-251	6.3	7.0	6.3	6.7	6.7	6.6
ASTRO	6.3	7.0	6.0	7.0	6.3	6.5
MSB 281	6.3	6.7	4.7	8.0	6.0	6.3
LSD VALUE	1.1	1.3	1.3	1.2	0.7	0.5
C.V. (%)	9.2	11.2	12.9	9.9	6.8	10.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 26A. PERCENT LIVING GROUND COVER (SPRING) RATINGS OF BERMUDAGRASS CULTIVARS 1/
2015 DATA

PERCENT LIVING GROUND COVER IN SPRING: LOCATIONS 2/						
NAME	KS2	MO1	NC1	TN1	VA1	MEAN
JSC 2-21-18-V	80.0	86.7	86.7	96.7	97.7	91.1
RIVIERA	73.3	90.0	86.7	92.7	99.0	90.1
OKC 1131	65.0	86.7	90.0	97.0	97.7	89.2
JSC 2009-6-S	75.0	86.7	83.3	90.0	97.7	88.6
TIFTUF (DT-1)	61.7	83.3	90.0	95.7	97.7	87.9
JSC 2-21-1-V	75.0	76.7	90.0	83.7	99.0	87.2
JSC 2007-8-S	84.3	86.7	70.0	84.3	97.7	87.0
OKC 1163	50.0	90.0	86.7	96.7	99.0	86.9
JSC 2007-13-S	71.7	80.0	83.3	80.3	99.0	85.6
YUKON	63.3	80.0	85.0	86.7	97.7	85.3
ASTRO	59.3	73.3	83.3	95.3	99.0	84.9
JSC 2009-2-S	73.3	66.7	83.3	83.0	96.3	83.6
OKS 2011-1	80.0	43.3	83.3	83.0	99.0	81.3
OKC 1302	86.7	16.7	86.7	94.7	96.3	80.0
PATRIOT	46.7	53.3	86.7	92.3	99.0	79.5
LATITUDE 36	68.3	20.0	90.0	93.7	99.0	78.3
11-T-510	36.7	56.7	90.0	83.7	93.0	76.5
OKS 2011-4	75.0	0.0	83.3	88.3	97.7	73.9
MBG 002	61.7	0.0	76.7	89.7	96.3	70.6
BAR C291	61.7	0.0	76.7	86.7	96.3	70.1
FAES 1326	46.7	0.0	83.3	98.3	89.7	69.5
TIFWAY	51.7	0.0	90.0	97.3	75.0	68.8
CELEBRATION	41.7	0.0	80.0	94.0	84.7	66.6
FAES 1327	43.3	0.0	86.7	95.3	73.3	66.3
OKS 2009-3	51.7	0.0	66.7	86.3	86.3	65.0
KASHMIR (PST-R6P0)	40.0	0.0	80.0	80.0	90.0	64.8
FAES 1325	23.3	0.0	83.3	94.0	83.0	63.8
PST-R6T9S	61.7	0.0	70.0	73.0	78.3	63.7
PST-R6CT	68.3	0.0	66.7	80.3	63.3	62.9
MSB 281	43.3	0.0	86.7	45.7	80.0	59.1
11-T-251	33.3	0.0	80.0	67.0	70.0	58.2
PRINCESS 77	11.7	0.0	80.0	90.0	63.3	57.3
NORTH SHORE SLT	28.3	0.0	73.3	89.3	53.3	57.2
12-TSB-1	22.7	0.0	73.3	69.3	37.5	50.3
NUMEX-SAHARA	23.3	0.0	66.7	84.3	10.0	47.2
LSD VALUE	25.5	23.5	16.9	14.5	17.5	7.5
C.V. (%)	28.6	43.5	12.8	10.4	12.5	15.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 26B. PERCENT LIVING GROUND COVER (SPRING) RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2015 DATA

PERCENT LIVING GROUND COVER IN SPRING: LOCATIONS 2/

NAME	KS2	MO1	NC1	TN1	VA1	MEAN
RIVIERA	73.3	90.0	86.7	92.7	99.0	90.1
JSC 2009-6-S	75.0	86.7	83.3	90.0	97.7	88.6
JSC 2007-8-S	84.3	86.7	70.0	84.3	97.7	87.0
JSC 2007-13-S	71.7	80.0	83.3	80.3	99.0	85.6
YUKON	63.3	80.0	85.0	86.7	97.7	85.3
JSC 2009-2-S	73.3	66.7	83.3	83.0	96.3	83.6
OKS 2011-1	80.0	43.3	83.3	83.0	99.0	81.3
OKS 2011-4	75.0	0.0	83.3	88.3	97.7	73.9
MBG 002	61.7	0.0	76.7	89.7	96.3	70.6
BAR C291	61.7	0.0	76.7	86.7	96.3	70.1
OKS 2009-3	51.7	0.0	66.7	86.3	86.3	65.0
KASHMIR (PST-R6P0)	40.0	0.0	80.0	80.0	90.0	64.8
PST-R6T9S	61.7	0.0	70.0	73.0	78.3	63.7
PST-R6CT	68.3	0.0	66.7	80.3	63.3	62.9
PRINCESS 77	11.7	0.0	80.0	90.0	63.3	57.3
NORTH SHORE SLT	28.3	0.0	73.3	89.3	53.3	57.2
12-TSB-1	22.7	0.0	73.3	69.3	37.5	50.3
NUMEX-SAHARA	23.3	0.0	66.7	84.3	10.0	47.2
LSD VALUE	20.3	18.3	21.2	12.8	18.8	6.9
C.V. (%)	22.1	38.4	16.9	9.4	14.0	14.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 28A. PERCENT LIVING GROUND COVER (FALL) RATINGS OF BERMUDAGRASS CULTIVARS 1/
2015 DATA

PERCENT LIVING GROUND COVER IN FALL: LOCATIONS 2/					
NAME	KS2	NC1	TN1	VA1	MEAN
JSC 2-21-1-V	98.3	99	99.0	99.0	98.9
JSC 2009-6-S	98.3	99	99.0	99.0	98.9
ASTRO	98.0	99	99.0	99.0	98.8
FAES 1326	98.3	99	98.7	99.0	98.8
TIFTUF (DT-1)	99.0	99	98.0	99.0	98.8
11-T-510	97.7	99	99.0	99.0	98.7
OKC 1163	97.7	99	99.0	99.0	98.7
OKC 1131	97.7	99	98.7	99.0	98.7
JSC 2-21-18-V	97.0	99	99.0	99.0	98.6
LATITUDE 36	97.0	99	98.7	99.0	98.5
RIVIERA	97.0	99	98.7	99.0	98.5
CELEBRATION	96.3	99	99.0	99.0	98.5
JSC 2009-2-S	96.3	99	98.7	99.0	98.4
TIFWAY	97.0	99	98.0	99.0	98.4
OKS 2011-1	96.3	99	97.7	99.0	98.2
JSC 2007-13-S	94.7	99	98.7	99.0	98.1
JSC 2007-8-S	94.7	99	98.3	99.0	98.0
KASHMIR (PST-R6P0)	94.0	99	98.7	99.0	97.9
MBG 002	94.0	99	98.7	99.0	97.9
BAR C291	94.0	99	97.3	99.0	97.7
YUKON	92.3	99	98.3	99.0	97.5
OKS 2009-3	91.7	99	98.3	99.0	97.4
PATRIOT	95.0	99	94.3	99.0	97.3
OKS 2011-4	90.7	99	97.3	99.0	97.0
MSB 281	90.7	99	98.3	97.7	96.9
OKC 1302	89.0	99	98.0	99.0	96.8
PST-R6CT	95.0	99	98.7	91.3	96.6
11-T-251	95.0	99	98.3	91.0	96.5
FAES 1325	86.7	99	98.3	99.0	96.4
FAES 1327	89.0	99	99.0	96.0	96.4
PST-R6T9S	90.0	99	97.7	91.3	95.4
NORTH SHORE SLT	92.3	99	97.3	74.3	92.4
12-TSB-1	65.0	99	99.0	96.0	91.6
PRINCESS 77	76.7	99	98.0	82.7	91.1
NUMEX-SAHARA	81.7	99	95.3	22.5	79.5
LSD VALUE	8.6	0	1.7	15.3	3.5
C.V. (%)	5.7	0	1.1	10.0	5.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 28B. PERCENT LIVING GROUND COVER (FALL) RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2015 DATA

PERCENT LIVING GROUND COVER IN FALL: LOCATIONS 2/					
NAME	KS2	NC1	TN1	VA1	MEAN
JSC 2009-6-S	98.3	99	99.0	99.0	98.9
RIVIERA	97.0	99	98.7	99.0	98.5
JSC 2009-2-S	96.3	99	98.7	99.0	98.4
OKS 2011-1	96.3	99	97.7	99.0	98.2
JSC 2007-13-S	94.7	99	98.7	99.0	98.1
JSC 2007-8-S	94.7	99	98.3	99.0	98.0
KASHMIR (PST-R6P0)	94.0	99	98.7	99.0	97.9
MBG 002	94.0	99	98.7	99.0	97.9
BAR C291	94.0	99	97.3	99.0	97.7
YUKON	92.3	99	98.3	99.0	97.5
OKS 2009-3	91.7	99	98.3	99.0	97.4
OKS 2011-4	90.7	99	97.3	99.0	97.0
PST-R6CT	95.0	99	98.7	91.3	96.6
PST-R6T9S	90.0	99	97.7	91.3	95.4
NORTH SHORE SLT	92.3	99	97.3	74.3	92.4
12-TSB-1	65.0	99	99.0	96.0	91.6
PRINCESS 77	76.7	99	98.0	82.7	91.1
NUMEX-SAHARA	81.7	99	95.3	22.5	79.5
LSD VALUE	10.6	0	2.0	20.8	4.6
C.V. (%)	7.2	0	1.3	14.0	6.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 28C. PERCENT LIVING GROUND COVER (FALL) RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2015 DATA

PERCENT LIVING GROUND COVER IN FALL: LOCATIONS 2/

NAME	KS2	NC1	TN1	VA1	MEAN
JSC 2-21-1-V	98.3	99	99.0	99.0	98.9
ASTRO	98.0	99	99.0	99.0	98.8
FAES 1326	98.3	99	98.7	99.0	98.8
TIFTUF (DT-1)	99.0	99	98.0	99.0	98.8
11-T-510	97.7	99	99.0	99.0	98.7
OKC 1163	97.7	99	99.0	99.0	98.7
OKC 1131	97.7	99	98.7	99.0	98.7
JSC 2-21-18-V	97.0	99	99.0	99.0	98.6
LATITUDE 36	97.0	99	98.7	99.0	98.5
CELEBRATION	96.3	99	99.0	99.0	98.5
TIFWAY	97.0	99	98.0	99.0	98.4
PATRIOT	95.0	99	94.3	99.0	97.3
MSB 281	90.7	99	98.3	97.7	96.9
OKC 1302	89.0	99	98.0	99.0	96.8
11-T-251	95.0	99	98.3	91.0	96.5
FAES 1325	86.7	99	98.3	99.0	96.4
FAES 1327	89.0	99	99.0	96.0	96.4
LSD VALUE	5.7	0	1.4	5.8	1.7
C.V. (%)	3.7	0	0.9	3.7	2.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 29A. WINTER COLOR RATINGS OF BERMUDAGRASS CULTIVARS 1/
2015 DATA

WINTER COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	CA3
TIFTUF (DT-1)	6.3
TIFWAY	6.3
11-T-510	5.3
FAES 1326	5.3
FAES 1325	5.0
11-T-251	4.3
CELEBRATION	4.3
FAES 1327	4.3
JSC 2-21-1-V	4.0
PRINCESS 77	4.0
PST-R6CT	4.0
12-TSB-1	3.7
JSC 2-21-18-V	3.7
KASHMIR (PST-R6P0)	3.7
MBG 002	3.7
NUMEX-SAHARA	3.7
OKC 1302	3.7
JSC 2007-13-S	3.3
JSC 2007-8-S	3.3
MSB 281	3.3
NORTH SHORE SLT	3.3
OKC 1163	3.3
OKS 2009-3	3.3
PST-R6T9S	3.3
ASTRO	3.0
BAR C291	3.0
JSC 2009-2-S	3.0
LATITUDE 36	3.0
OKS 2011-1	3.0
RIVIERA	3.0
JSC 2009-6-S	2.7
OKS 2011-4	2.7
OKC 1131	2.0
PATRIOT	2.0
YUKON	2.0
LSD VALUE	1.0
C.V. (%)	16.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 29B. WINTER COLOR RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2015 DATA

WINTER COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	CA3
PRINCESS 77	4.0
PST-R6CT	4.0
12-TSB-1	3.7
KASHMIR (PST-R6P0)	3.7
MBG 002	3.7
NUMEX-SAHARA	3.7
JSC 2007-13-S	3.3
JSC 2007-8-S	3.3
NORTH SHORE SLT	3.3
OKS 2009-3	3.3
PST-R6T9S	3.3
BAR C291	3.0
JSC 2009-2-S	3.0
OKS 2011-1	3.0
RIVIERA	3.0
JSC 2009-6-S	2.7
OKS 2011-4	2.7
YUKON	2.0
LSD VALUE	0.9
C.V. (%)	17.2

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 29C. WINTER COLOR RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2015 DATA

WINTER COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	CA3
TIFTUF (DT-1)	6.3
TIFWAY	6.3
11-T-510	5.3
FAES 1326	5.3
FAES 1325	5.0
11-T-251	4.3
CELEBRATION	4.3
FAES 1327	4.3
JSC 2-21-1-V	4.0
JSC 2-21-18-V	3.7
OKC 1302	3.7
MSB 281	3.3
OKC 1163	3.3
ASTRO	3.0
LATITUDE 36	3.0
OKC 1131	2.0
PATRIOT	2.0
LSD VALUE	1.0
C.V. (%)	15.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 30A. DOLLAR SPOT RATINGS OF BERMUDAGRASS CULTIVARS 1/
2015 DATA

DOLLAR SPOT RATINGS 1-9; 9=NO DISEASE 2/

NAME	NC1
11-T-510	8.0
BAR C291	8.0
JSC 2009-2-S	8.0
NUMEX-SAHARA	8.0
OKS 2011-4	8.0
PST-R6CT	8.0
12-TSB-1	7.7
NORTH SHORE SLT	7.7
PRINCESS 77	7.7
PST-R6T9S	7.7
YUKON	7.7
11-T-251	7.3
FAES 1327	7.3
JSC 2-21-18-V	7.3
JSC 2007-8-S	7.3
MBG 002	7.3
MSB 281	7.3
FAES 1326	7.0
JSC 2007-13-S	7.0
JSC 2009-6-S	7.0
OKC 1302	7.0
OKS 2009-3	7.0
OKS 2011-1	7.0
RIVIERA	7.0
ASTRO	6.7
FAES 1325	6.7
JSC 2-21-1-V	6.7
KASHMIR (PST-R6P0)	6.7
PATRIOT	6.7
TIFTUF (DT-1)	6.7
TIFWAY	6.7
CELEBRATION	6.3
OKC 1131	6.3
LATITUDE 36	6.0
OKC 1163	4.3
LSD VALUE	1.6
C.V. (%)	14.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 30B. DOLLAR SPOT RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2015 DATA

DOLLAR SPOT RATINGS 1-9; 9=NO DISEASE 2/

NAME	NC1
BAR C291	8.0
JSC 2009-2-S	8.0
NUMEX-SAHARA	8.0
OKS 2011-4	8.0
PST-R6CT	8.0
12-TSB-1	7.7
NORTH SHORE SLT	7.7
PRINCESS 77	7.7
PST-R6T9S	7.7
YUKON	7.7
JSC 2007-8-S	7.3
MBG 002	7.3
JSC 2007-13-S	7.0
JSC 2009-6-S	7.0
OKS 2009-3	7.0
OKS 2011-1	7.0
RIVIERA	7.0
KASHMIR (PST-R6P0)	6.7
LSD VALUE	1.5
C.V. (%)	12.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 30C. DOLLAR SPOT RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2015 DATA

DOLLAR SPOT RATINGS 1-9; 9=NO DISEASE 2/

NAME	NC1
11-T-510	8.0
11-T-251	7.3
FAES 1327	7.3
JSC 2-21-18-V	7.3
MSB 281	7.3
FAES 1326	7.0
OKC 1302	7.0
ASTRO	6.7
FAES 1325	6.7
JSC 2-21-1-V	6.7
PATRIOT	6.7
TIFTUF (DT-1)	6.7
TIFWAY	6.7
CELEBRATION	6.3
OKC 1131	6.3
LATITUDE 36	6.0
OKC 1163	4.3
LSD VALUE	1.7
C.V. (%)	15.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 31A. FALL COLOR (SEPTEMBER) RATINGS OF BERMUDAGRASS CULTIVARS 1/
2015 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	FL3	GA1	MEAN
PATRIOT	7.3	7.0	7.2
FAES 1325	7.7	6.3	7.0
LATITUDE 36	7.0	7.0	7.0
11-T-251	7.7	6.0	6.8
11-T-510	7.7	6.0	6.8
CELEBRATION	7.7	6.0	6.8
FAES 1327	7.0	6.3	6.7
PRINCESS 77	7.0	6.0	6.5
TIFTUF (DT-1)	6.7	6.3	6.5
TIFWAY	6.3	6.7	6.5
JSC 2-21-18-V	6.7	6.0	6.3
OKC 1131	6.0	6.7	6.3
OKC 1163	6.7	6.0	6.3
PST-R6CT	6.7	6.0	6.3
12-TSB-1	6.3	6.3	6.3
JSC 2-21-1-V	6.3	6.3	6.3
JSC 2007-13-S	6.3	6.3	6.3
OKS 2011-1	6.3	6.3	6.3
OKS 2011-4	6.3	6.3	6.3
RIVIERA	6.3	6.3	6.3
MSB 281	6.7	5.7	6.2
FAES 1326	6.3	6.0	6.2
JSC 2009-2-S	6.3	6.0	6.2
JSC 2009-6-S	6.3	6.0	6.2
KASHMIR (PST-R6P0)	6.3	6.0	6.2
MBG 002	6.3	6.0	6.2
OKS 2009-3	6.3	6.0	6.2
BAR C291	6.0	6.0	6.0
NUMEX-SAHARA	6.0	6.0	6.0
OKC 1302	5.7	6.3	6.0
PST-R6T9S	6.3	5.7	6.0
JSC 2007-8-S	5.7	6.0	5.8
YUKON	5.7	6.0	5.8
ASTRO	5.3	6.3	5.8
NORTH SHORE SLT	5.3	6.0	5.7
LSD VALUE	1.2	0.6	0.7
C.V. (%)	11.6	6.2	9.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 31B. FALL COLOR (SEPTEMBER) RATINGS OF BERMU DAGRASS (SEEDED) CULTIVARS 1/
2015 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	FL3	GA1	MEAN
PRINCESS 77	7.0	6.0	6.5
PST-R6CT	6.7	6.0	6.3
12-TSB-1	6.3	6.3	6.3
JSC 2007-13-S	6.3	6.3	6.3
OKS 2011-1	6.3	6.3	6.3
OKS 2011-4	6.3	6.3	6.3
RIVIERA	6.3	6.3	6.3
JSC 2009-2-S	6.3	6.0	6.2
JSC 2009-6-S	6.3	6.0	6.2
KASHMIR (PST-R6P0)	6.3	6.0	6.2
MBG 002	6.3	6.0	6.2
OKS 2009-3	6.3	6.0	6.2
BAR C291	6.0	6.0	6.0
NUMEX-SAHARA	6.0	6.0	6.0
PST-R6T9S	6.3	5.7	6.0
JSC 2007-8-S	5.7	6.0	5.8
YUKON	5.7	6.0	5.8
NORTH SHORE SLT	5.3	6.0	5.7
LSD VALUE	1.3	0.6	0.7
C.V. (%)	12.6	5.6	9.9

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 31C. FALL COLOR (SEPTEMBER) RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2015 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	FL3	GA1	MEAN
PATRIOT	7.3	7.0	7.2
FAES 1325	7.7	6.3	7.0
LATITUDE 36	7.0	7.0	7.0
11-T-251	7.7	6.0	6.8
11-T-510	7.7	6.0	6.8
CELEBRATION	7.7	6.0	6.8
FAES 1327	7.0	6.3	6.7
TIFTUF (DT-1)	6.7	6.3	6.5
TIFWAY	6.3	6.7	6.5
JSC 2-21-18-V	6.7	6.0	6.3
OKC 1131	6.0	6.7	6.3
OKC 1163	6.7	6.0	6.3
JSC 2-21-1-V	6.3	6.3	6.3
MSB 281	6.7	5.7	6.2
FAES 1326	6.3	6.0	6.2
OKC 1302	5.7	6.3	6.0
ASTRO	5.3	6.3	5.8
LSD VALUE	1.1	0.7	0.7
C.V. (%)	10.6	6.7	9.0

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 32A. FALL COLOR (OCTOBER) RATINGS OF BERMUDAGRASS CULTIVARS 1/
2015 DATA

NAME	FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/								MEAN
	AR1	FL3	GA1	IN1	KS2	KY1	NC1	OK1	
TIFWAY	5.7	6.3	6.0	6.7	5.3	5.7	5.7	6.0	5.9
CELEBRATION	7.7	7.7	5.3	6.0	4.0	4.7	4.7	7.0	5.9
TIFTUF (DT-1)	5.3	6.3	6.0	7.3	6.0	4.3	6.3	5.3	5.9
FAES 1327	6.3	6.7	6.0	6.0	6.3	4.0	4.7	5.3	5.7
FAES 1326	6.3	6.7	6.0	6.0	5.3	3.7	5.3	5.7	5.6
12-TSB-1	5.7	6.7	6.0	7.0	5.3	3.3	4.7	6.0	5.6
11-T-510	5.3	7.0	5.3	5.3	5.7	4.0	5.7	6.0	5.5
PRINCESS 77	6.0	7.7	5.7	6.7	5.7	3.3	4.0	5.0	5.5
FAES 1325	5.0	5.7	5.7	6.0	5.3	4.3	5.3	6.0	5.4
YUKON	6.7	5.7	5.7	4.7	5.7	4.3	4.3	6.0	5.4
LATITUDE 36	7.7	6.0	6.0	6.0	5.0	3.0	4.0	5.0	5.3
PST-R6CT	7.7	5.7	5.7	6.0	5.0	3.3	3.7	5.0	5.3
11-T-251	6.3	7.3	5.0	5.0	4.0	3.7	3.3	6.3	5.1
OKS 2011-4	6.0	5.7	6.0	5.7	4.3	3.3	4.0	5.3	5.0
PST-R6T9S	5.7	5.3	5.7	6.0	4.0	4.0	4.3	5.3	5.0
MBG 002	5.7	6.0	5.3	6.0	4.3	3.3	4.7	5.0	5.0
OKC 1302	6.0	5.3	5.7	5.0	4.7	4.0	4.0	5.3	5.0
JSC 2-21-18-V	5.7	5.3	6.0	5.3	4.7	3.7	4.3	5.0	5.0
OKC 1163	6.3	6.0	5.7	5.7	5.7	2.7	3.0	5.0	5.0
OKS 2009-3	5.3	5.7	5.3	5.0	4.7	4.3	4.0	5.3	5.0
JSC 2-21-1-V	5.7	5.7	6.0	5.3	4.7	3.3	4.0	4.7	4.9
JSC 2007-13-S	4.3	6.0	6.0	5.0	4.0	3.3	4.3	5.7	4.8
JSC 2007-8-S	5.0	5.3	6.0	4.7	4.3	3.3	4.3	5.7	4.8
NORTH SHORE SLT	6.0	5.3	5.7	4.3	4.0	4.0	4.0	5.0	4.8
NUMEX-SAHARA	5.3	5.7	5.0	5.3	4.3	4.0	3.7	4.7	4.8
KASHMIR (PST-R6PO)	4.3	4.7	5.5	5.3	4.3	4.0	4.7	5.0	4.7
BAR C291	5.3	5.0	5.7	4.3	4.7	3.7	4.0	5.0	4.7
JSC 2009-6-S	5.3	6.0	5.7	4.7	3.7	3.0	4.0	5.3	4.7
PATRIOT	6.3	6.7	6.0	4.7	2.7	2.0	3.3	6.0	4.7
OKS 2011-1	5.3	5.3	6.0	4.3	4.0	3.0	4.0	5.7	4.7
MSB 281	6.0	5.7	5.3	4.7	2.0	3.7	4.0	6.0	4.7
OKC 1131	5.7	6.7	6.0	4.3	2.7	2.3	4.0	5.7	4.7
RIVIERA	7.0	4.7	6.0	4.0	4.0	2.7	4.0	5.0	4.7
ASTRO	5.3	4.7	5.3	4.3	4.3	3.0	4.7	5.3	4.6
JSC 2009-2-S	5.3	5.3	5.7	4.3	4.0	3.0	4.0	5.0	4.6
LSD VALUE	0.9	1.2	0.7	1.3	0.9	0.9	0.9	0.6	0.3
C.V. (%)	9.1	12.5	7.3	14.8	12.2	15.2	13.4	7.2	11.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 32B. FALL COLOR (OCTOBER) RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2015 DATA

NAME	FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/								MEAN
	AR1	FL3	GA1	IN1	KS2	KY1	NC1	OK1	
12-TSB-1	5.7	6.7	6.0	7.0	5.3	3.3	4.7	6.0	5.6
PRINCESS 77	6.0	7.7	5.7	6.7	5.7	3.3	4.0	5.0	5.5
YUKON	6.7	5.7	5.7	4.7	5.7	4.3	4.3	6.0	5.4
PST-R6CT	7.7	5.7	5.7	6.0	5.0	3.3	3.7	5.0	5.3
OKS 2011-4	6.0	5.7	6.0	5.7	4.3	3.3	4.0	5.3	5.0
PST-R6T9S	5.7	5.3	5.7	6.0	4.0	4.0	4.3	5.3	5.0
MBG 002	5.7	6.0	5.3	6.0	4.3	3.3	4.7	5.0	5.0
OKS 2009-3	5.3	5.7	5.3	5.0	4.7	4.3	4.0	5.3	5.0
JSC 2007-13-S	4.3	6.0	6.0	5.0	4.0	3.3	4.3	5.7	4.8
JSC 2007-8-S	5.0	5.3	6.0	4.7	4.3	3.3	4.3	5.7	4.8
NORTH SHORE SLT	6.0	5.3	5.7	4.3	4.0	4.0	4.0	5.0	4.8
NUMEX-SAHARA	5.3	5.7	5.0	5.3	4.3	4.0	3.7	4.7	4.8
KASHMIR (PST-R6P0)	4.3	4.7	5.5	5.3	4.3	4.0	4.7	5.0	4.7
BAR C291	5.3	5.0	5.7	4.3	4.7	3.7	4.0	5.0	4.7
JSC 2009-6-S	5.3	6.0	5.7	4.7	3.7	3.0	4.0	5.3	4.7
OKS 2011-1	5.3	5.3	6.0	4.3	4.0	3.0	4.0	5.7	4.7
RIVIERA	7.0	4.7	6.0	4.0	4.0	2.7	4.0	5.0	4.7
JSC 2009-2-S	5.3	5.3	5.7	4.3	4.0	3.0	4.0	5.0	4.6
LSD VALUE	0.8	1.4	0.8	1.3	0.9	1.0	0.8	0.6	0.3
C.V. (%)	8.7	15.4	8.1	15.5	12.6	17.3	12.7	7.3	12.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 32C. FALL COLOR (OCTOBER) RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2015 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	AR1	FL3	GA1	IN1	KS2	KY1	NC1	OK1	MEAN
TIFWAY	5.7	6.3	6.0	6.7	5.3	5.7	5.7	6.0	5.9
CELEBRATION	7.7	7.7	5.3	6.0	4.0	4.7	4.7	7.0	5.9
TIFTUF (DT-1)	5.3	6.3	6.0	7.3	6.0	4.3	6.3	5.3	5.9
FAES 1327	6.3	6.7	6.0	6.0	6.3	4.0	4.7	5.3	5.7
FAES 1326	6.3	6.7	6.0	6.0	5.3	3.7	5.3	5.7	5.6
11-T-510	5.3	7.0	5.3	5.3	5.7	4.0	5.7	6.0	5.5
FAES 1325	5.0	5.7	5.7	6.0	5.3	4.3	5.3	6.0	5.4
LATITUDE 36	7.7	6.0	6.0	6.0	5.0	3.0	4.0	5.0	5.3
11-T-251	6.3	7.3	5.0	5.0	4.0	3.7	3.3	6.3	5.1
OKC 1302	6.0	5.3	5.7	5.0	4.7	4.0	4.0	5.3	5.0
JSC 2-21-18-V	5.7	5.3	6.0	5.3	4.7	3.7	4.3	5.0	5.0
OKC 1163	6.3	6.0	5.7	5.7	5.7	2.7	3.0	5.0	5.0
JSC 2-21-1-V	5.7	5.7	6.0	5.3	4.7	3.3	4.0	4.7	4.9
PATRIOT	6.3	6.7	6.0	4.7	2.7	2.0	3.3	6.0	4.7
MSB 281	6.0	5.7	5.3	4.7	2.0	3.7	4.0	6.0	4.7
OKC 1131	5.7	6.7	6.0	4.3	2.7	2.3	4.0	5.7	4.7
ASTRO	5.3	4.7	5.3	4.3	4.3	3.0	4.7	5.3	4.6
LSD VALUE	0.9	0.9	0.6	1.3	0.9	0.7	1.0	0.6	0.3
C.V. (%)	9.6	9.3	6.5	14.2	11.8	12.7	13.9	7.0	10.6

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 33A. FALL COLOR (NOVEMBER) RATINGS OF BERMUDAGRASS CULTIVARS 1/
2015 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	GA1	MS1	OK1	MEAN
CELEBRATION	4.7	7.0	4.7	5.4
TIFTUF (DT-1)	6.0	5.7	4.7	5.4
TIFWAY	5.7	6.0	4.7	5.4
JSC 2-21-1-V	6.0	5.7	4.3	5.3
LATITUDE 36	5.3	6.0	4.7	5.3
MBG 002	5.3	6.0	4.7	5.3
11-T-510	5.0	6.0	4.7	5.2
FAES 1327	6.0	5.7	3.7	5.1
12-TSB-1	5.3	6.0	4.0	5.1
FAES 1326	5.3	6.0	4.0	5.1
JSC 2007-13-S	5.7	5.3	4.3	5.1
PRINCESS 77	5.3	6.0	4.0	5.1
JSC 2-21-18-V	5.7	5.3	4.0	5.0
JSC 2009-6-S	4.3	6.0	4.7	5.0
MSB 281	5.3	5.7	4.0	5.0
OKC 1131	5.3	5.0	4.7	5.0
11-T-251	4.0	6.7	4.0	4.9
OKC 1302	5.0	5.7	4.0	4.9
OKS 2011-4	5.7	5.0	4.0	4.9
BAR C291	5.0	5.3	4.3	4.9
FAES 1325	5.3	5.3	4.0	4.9
KASHMIR (PST-R6P0)	5.0	5.3	4.3	4.9
OKS 2011-1	5.0	5.3	4.3	4.9
PST-R6CT	5.3	5.3	4.0	4.9
ASTRO	4.7	5.0	4.7	4.8
JSC 2009-2-S	5.3	5.3	3.7	4.8
PST-R6T9S	5.0	5.7	3.7	4.8
RIVIERA	4.7	5.7	4.0	4.8
JSC 2007-8-S	4.3	5.3	4.3	4.7
NORTH SHORE SLT	5.3	5.3	3.3	4.7
OKS 2009-3	5.0	5.0	4.0	4.7
NUMEX-SAHARA	5.0	5.3	3.7	4.7
PATRIOT	5.0	5.3	3.7	4.7
OKC 1163	4.7	5.0	3.7	4.4
YUKON	5.0	5.0	3.3	4.4
LSD VALUE	1.1	0.7	1.0	0.5
C.V. (%)	13.3	7.8	14.6	11.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 33B. FALL COLOR (NOVEMBER) RATINGS OF BERMU DAGRASS (SEEDED) CULTIVARS 1/
2015 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	GA1	MS1	OK1	MEAN
MBG 002	5.3	6.0	4.7	5.3
12-TSB-1	5.3	6.0	4.0	5.1
JSC 2007-13-S	5.7	5.3	4.3	5.1
PRINCESS 77	5.3	6.0	4.0	5.1
JSC 2009-6-S	4.3	6.0	4.7	5.0
OKS 2011-4	5.7	5.0	4.0	4.9
BAR C291	5.0	5.3	4.3	4.9
KASHMIR (PST-R6P0)	5.0	5.3	4.3	4.9
OKS 2011-1	5.0	5.3	4.3	4.9
PST-R6CT	5.3	5.3	4.0	4.9
JSC 2009-2-S	5.3	5.3	3.7	4.8
PST-R6T9S	5.0	5.7	3.7	4.8
RIVIERA	4.7	5.7	4.0	4.8
JSC 2007-8-S	4.3	5.3	4.3	4.7
NORTH SHORE SLT	5.3	5.3	3.3	4.7
OKS 2009-3	5.0	5.0	4.0	4.7
NUMEX-SAHARA	5.0	5.3	3.7	4.7
YUKON	5.0	5.0	3.3	4.4
LSD VALUE	1.2	0.7	0.8	0.5
C.V. (%)	14.8	8.3	13.1	12.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 33C. FALL COLOR (NOVEMBER) RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2015 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	GA1	MS1	OK1	MEAN
CELEBRATION	4.7	7.0	4.7	5.4
TIFTUF (DT-1)	6.0	5.7	4.7	5.4
TIFWAY	5.7	6.0	4.7	5.4
JSC 2-21-1-V	6.0	5.7	4.3	5.3
LATITUDE 36	5.3	6.0	4.7	5.3
11-T-510	5.0	6.0	4.7	5.2
FAES 1327	6.0	5.7	3.7	5.1
FAES 1326	5.3	6.0	4.0	5.1
JSC 2-21-18-V	5.7	5.3	4.0	5.0
MSB 281	5.3	5.7	4.0	5.0
OKC 1131	5.3	5.0	4.7	5.0
11-T-251	4.0	6.7	4.0	4.9
OKC 1302	5.0	5.7	4.0	4.9
FAES 1325	5.3	5.3	4.0	4.9
ASTRO	4.7	5.0	4.7	4.8
PATRIOT	5.0	5.3	3.7	4.7
OKC 1163	4.7	5.0	3.7	4.4
LSD VALUE	1.0	0.7	1.1	0.5
C.V. (%)	11.7	7.4	15.9	11.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 34A. FALL COLOR (DECEMBER) RATINGS OF BERMUDAGRASS CULTIVARS 1/
2015 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	GA1	NC1	MEAN
TIFTUF (DT-1)	2.3	4.3	3.3
TIFWAY	2.7	3.7	3.2
FAES 1326	2.3	3.0	2.7
11-T-510	1.7	3.3	2.5
FAES 1325	2.3	2.3	2.3
FAES 1327	2.3	2.3	2.3
NUMEX-SAHARA	2.0	2.3	2.2
ASTRO	1.3	2.7	2.0
MSB 281	3.0	1.0	2.0
JSC 2-21-18-V	1.7	1.7	1.7
LATITUDE 36	2.0	1.3	1.7
11-T-251	1.7	1.3	1.5
12-TSB-1	1.3	1.7	1.5
NORTH SHORE SLT	1.7	1.3	1.5
OKS 2009-3	1.7	1.3	1.5
YUKON	1.7	1.3	1.5
KASHMIR (PST-R6P0)	1.5	1.3	1.4
BAR C291	1.7	1.0	1.3
JSC 2-21-1-V	1.0	1.7	1.3
OKS 2011-4	1.3	1.3	1.3
PRINCESS 77	1.3	1.3	1.3
PST-R6T9S	1.3	1.3	1.3
CELEBRATION	1.0	1.3	1.2
JSC 2007-13-S	1.0	1.3	1.2
JSC 2007-8-S	1.0	1.3	1.2
JSC 2009-2-S	1.3	1.0	1.2
OKC 1131	1.0	1.3	1.2
OKC 1302	1.3	1.0	1.2
OKS 2011-1	1.0	1.3	1.2
PST-R6CT	1.0	1.3	1.2
JSC 2009-6-S	1.0	1.0	1.0
MBG 002	1.0	1.0	1.0
OKC 1163	1.0	1.0	1.0
PATRIOT	1.0	1.0	1.0
RIVIERA	1.0	1.0	1.0
LSD VALUE	1.0	1.0	0.7
C.V. (%)	38.2	38.6	38.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 34B. FALL COLOR (DECEMBER) RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2015 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	GA1	NC1	MEAN
NUMEX-SAHARA	2.0	2.3	2.2
12-TSB-1	1.3	1.7	1.5
NORTH SHORE SLT	1.7	1.3	1.5
OKS 2009-3	1.7	1.3	1.5
YUKON	1.7	1.3	1.5
KASHMIR (PST-R6P0)	1.5	1.3	1.4
BAR C291	1.7	1.0	1.3
OKS 2011-4	1.3	1.3	1.3
PRINCESS 77	1.3	1.3	1.3
PST-R6T9S	1.3	1.3	1.3
JSC 2007-13-S	1.0	1.3	1.2
JSC 2007-8-S	1.0	1.3	1.2
JSC 2009-2-S	1.3	1.0	1.2
OKS 2011-1	1.0	1.3	1.2
PST-R6CT	1.0	1.3	1.2
JSC 2009-6-S	1.0	1.0	1.0
MBG 002	1.0	1.0	1.0
RIVIERA	1.0	1.0	1.0
LSD VALUE	0.7	1.0	0.6
C.V. (%)	33.0	45.1	39.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 34C. FALL COLOR (DECEMBER) RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2015 DATA

FALL COLOR RATINGS 1-9; 9=COMPLETE COLOR RETENTION 2/

NAME	GA1	NC1	MEAN
TIFTUF (DT-1)	2.3	4.3	3.3
TIFWAY	2.7	3.7	3.2
FAES 1326	2.3	3.0	2.7
11-T-510	1.7	3.3	2.5
FAES 1325	2.3	2.3	2.3
FAES 1327	2.3	2.3	2.3
ASTRO	1.3	2.7	2.0
MSB 281	3.0	1.0	2.0
JSC 2-21-18-V	1.7	1.7	1.7
LATITUDE 36	2.0	1.3	1.7
11-T-251	1.7	1.3	1.5
JSC 2-21-1-V	1.0	1.7	1.3
CELEBRATION	1.0	1.3	1.2
OKC 1131	1.0	1.3	1.2
OKC 1302	1.3	1.0	1.2
OKC 1163	1.0	1.0	1.0
PATRIOT	1.0	1.0	1.0
LSD VALUE	1.1	1.1	0.8
C.V. (%)	40.1	34.0	36.8

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 35A. SEEDHEAD RATINGS OF BERMUDAGRASS CULTIVARS 1/
2015 DATA

NAME	SEEDHEAD RATINGS 1-9; 9=NONE 2/			MEAN
	KS2	NC1	OK1	
11-T-510	9.0	9.0	6.0	8.0
OKC 1163	8.3	9.0	6.3	7.9
PATRIOT	7.7	8.7	7.0	7.8
LATITUDE 36	8.3	8.7	5.3	7.4
OKC 1302	8.7	8.3	4.0	7.0
FAES 1327	8.3	7.3	4.7	6.8
TIFWAY	8.3	7.3	4.3	6.7
FAES 1326	7.3	8.3	3.7	6.4
JSC 2-21-18-V	7.3	7.3	4.3	6.3
YUKON	7.0	6.7	5.3	6.3
TIFTUF (DT-1)	6.7	6.7	5.0	6.1
JSC 2-21-1-V	7.0	8.0	2.7	5.9
FAES 1325	6.7	6.7	4.0	5.8
NUMEX-SAHARA	5.7	6.0	5.7	5.8
11-T-251	5.7	6.3	5.3	5.8
CELEBRATION	7.7	6.3	3.3	5.8
ASTRO	5.0	6.3	4.3	5.2
JSC 2007-13-S	5.3	6.0	4.3	5.2
RIVIERA	5.7	6.0	3.3	5.0
OKC 1131	7.0	4.7	3.0	4.9
OKS 2011-1	5.3	5.0	4.0	4.8
BAR C291	4.7	4.3	5.0	4.7
OKS 2011-4	5.3	4.3	4.3	4.7
MSB 281	5.0	4.0	4.7	4.6
12-TSB-1	3.7	4.7	5.0	4.4
OKS 2009-3	4.3	4.3	4.7	4.4
MBG 002	4.3	4.3	4.3	4.3
PRINCESS 77	3.7	4.7	4.7	4.3
JSC 2009-2-S	5.0	4.0	3.7	4.2
NORTH SHORE SLT	4.3	3.3	4.3	4.0
JSC 2009-6-S	4.3	4.0	3.7	4.0
JSC 2007-8-S	4.0	4.0	3.7	3.9
KASHMIR (PST-R6P0)	3.3	4.3	4.0	3.9
PST-R6CT	3.7	3.7	4.0	3.8
PST-R6T9S	3.0	4.0	3.7	3.6
LSD VALUE	1.8	1.5	1.4	0.9
C.V. (%)	19.3	16.1	19.7	18.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 35B. SEEDHEAD RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2015 DATA

NAME	SEEDHEAD RATINGS 1-9; 9=NONE 2/			
	KS2	NC1	OK1	MEAN
YUKON	7.0	6.7	5.3	6.3
NUMEX-SAHARA	5.7	6.0	5.7	5.8
JSC 2007-13-S	5.3	6.0	4.3	5.2
RIVIERA	5.7	6.0	3.3	5.0
OKS 2011-1	5.3	5.0	4.0	4.8
BAR C291	4.7	4.3	5.0	4.7
OKS 2011-4	5.3	4.3	4.3	4.7
12-TSB-1	3.7	4.7	5.0	4.4
OKS 2009-3	4.3	4.3	4.7	4.4
MBG 002	4.3	4.3	4.3	4.3
PRINCESS 77	3.7	4.7	4.7	4.3
JSC 2009-2-S	5.0	4.0	3.7	4.2
NORTH SHORE SLT	4.3	3.3	4.3	4.0
JSC 2009-6-S	4.3	4.0	3.7	4.0
JSC 2007-8-S	4.0	4.0	3.7	3.9
KASHMIR (PST-R6P0)	3.3	4.3	4.0	3.9
PST-R6CT	3.7	3.7	4.0	3.8
PST-R6T9S	3.0	4.0	3.7	3.6
LSD VALUE	1.8	1.4	1.2	0.9
C.V. (%)	24.4	19.2	16.7	20.5

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 35C. SEEDHEAD RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2015 DATA

SEEDHEAD RATINGS 1-9; 9=NONE 2/

NAME	KS2	NC1	OK1	MEAN
11-T-510	9.0	9.0	6.0	8.0
OKC 1163	8.3	9.0	6.3	7.9
PATRIOT	7.7	8.7	7.0	7.8
LATITUDE 36	8.3	8.7	5.3	7.4
OKC 1302	8.7	8.3	4.0	7.0
FAES 1327	8.3	7.3	4.7	6.8
TIFWAY	8.3	7.3	4.3	6.7
FAES 1326	7.3	8.3	3.7	6.4
JSC 2-21-18-V	7.3	7.3	4.3	6.3
TIFTUF (DT-1)	6.7	6.7	5.0	6.1
JSC 2-21-1-V	7.0	8.0	2.7	5.9
FAES 1325	6.7	6.7	4.0	5.8
11-T-251	5.7	6.3	5.3	5.8
CELEBRATION	7.7	6.3	3.3	5.8
ASTRO	5.0	6.3	4.3	5.2
OKC 1131	7.0	4.7	3.0	4.9
MSB 281	5.0	4.0	4.7	4.6
LSD VALUE	1.9	1.6	1.6	1.0
C.V. (%)	15.9	14.0	22.2	16.7

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 36A. SPRING COLOR RATINGS OF BERMUDAGRASS CULTIVARS 1/
2015 DATA

SPRING COLOR RATINGS 1-9; 9=BEST 2/

NAME	FL3
11-T-251	7.3
12-TSB-1	7.0
FAES 1325	7.0
OKS 2011-4	7.0
TIFWAY	7.0
11-T-510	6.7
JSC 2007-13-S	6.7
JSC 2007-8-S	6.7
KASHMIR (PST-R6P0)	6.7
PATRIOT	6.7
PRINCESS 77	6.7
PST-R6T9S	6.7
BAR C291	6.3
FAES 1326	6.3
FAES 1327	6.3
JSC 2009-2-S	6.3
JSC 2009-6-S	6.3
OKS 2009-3	6.3
PST-R6CT	6.3
TIFTUF (DT-1)	6.3
CELEBRATION	6.0
MBG 002	6.0
OKC 1131	6.0
OKC 1302	6.0
OKS 2011-1	6.0
RIVIERA	6.0
YUKON	6.0
ASTRO	5.7
JSC 2-21-18-V	5.7
NORTH SHORE SLT	5.7
NUMEX-SAHARA	5.7
OKC 1163	5.7
LATITUDE 36	5.0
MSB 281	4.7
JSC 2-21-1-V	4.3
LSD VALUE	0.9
C.V. (%)	9.3

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 36B. SPRING COLOR RATINGS OF BERMUDAGRASS (SEEDED) CULTIVARS 1/
2015 DATA

SPRING COLOR RATINGS 1-9; 9=BEST 2/

NAME	FL3
12-TSB-1	7.0
OKS 2011-4	7.0
JSC 2007-13-S	6.7
JSC 2007-8-S	6.7
KASHMIR (PST-R6P0)	6.7
PRINCESS 77	6.7
PST-R6T9S	6.7
BAR C291	6.3
JSC 2009-2-S	6.3
JSC 2009-6-S	6.3
OKS 2009-3	6.3
PST-R6CT	6.3
MBG 002	6.0
OKS 2011-1	6.0
RIVIERA	6.0
YUKON	6.0
NORTH SHORE SLT	5.7
NUMEX-SAHARA	5.7
LSD VALUE	0.8
C.V. (%)	7.4

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

TABLE 36C. SPRING COLOR RATINGS OF BERMUDAGRASS (VEGETATIVE) CULTIVARS 1/
2015 DATA

SPRING COLOR RATINGS 1-9; 9=BEST 2/

NAME	FL3
11-T-251	7.3
FAES 1325	7.0
TIFWAY	7.0
11-T-510	6.7
PATRIOT	6.7
FAES 1326	6.3
FAES 1327	6.3
TIFTUF (DT-1)	6.3
CELEBRATION	6.0
OKC 1131	6.0
OKC 1302	6.0
ASTRO	5.7
JSC 2-21-18-V	5.7
OKC 1163	5.7
LATITUDE 36	5.0
MSB 281	4.7
JSC 2-21-1-V	4.3
LSD VALUE	1.1
C.V. (%)	11.1

1/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

2/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

APPENDIX TABLE. SUMMARY OF TURFGRASS QUALITY RATINGS FOR BERMUDAGRASS CULTIVARS */
2015 DATA

TURFGRASS QUALITY RATINGS 1-9; 9=IDEAL TURF **/

NAME	QUALITY MEAN 1/	MAXIMUM IN TOP 25% 2/
JSC 2-21-18-V	6.7	92.9
TIFTUF (DT-1)	6.7	71.4
OKC 1131	6.6	78.6
JSC 2-21-1-V	6.5	64.3
11-T-510	6.4	57.1
LATITUDE 36	6.3	78.6
OKC 1163	6.3	57.1
OKC 1302	6.1	50.0
PATRIOT	6.1	42.9
ASTRO	6.0	21.4
RIVIERA	5.9	14.3
JSC 2007-13-S	5.8	7.1
TIFWAY	5.8	21.4
FAES 1326	5.7	14.3
JSC 2007-8-S	5.7	0.0
JSC 2009-2-S	5.7	7.1
JSC 2009-6-S	5.7	21.4
MBG 002	5.7	14.3
11-T-251	5.6	28.6
FAES 1325	5.6	28.6
OKS 2011-1	5.6	7.1
FAES 1327	5.5	14.3
YUKON	5.4	14.3
BAR C291	5.2	7.1
CELEBRATION	5.2	0.0
OKS 2011-4	5.2	0.0
PRINCESS 77	5.2	0.0
12-TSB-1	5.1	7.1
OKS 2009-3	5.1	0.0
KASHMIR (PST-R6P0)	5.0	0.0
PST-R6CT	5.0	0.0
MSB 281	4.8	7.1
NORTH SHORE SLT	4.7	0.0
PST-R6T9S	4.6	0.0
NUMEX-SAHARA	4.5	7.1
LSD VALUE	0.2	
C.V. (%)	8.1	

*/ TO DETERMINE STATISTICAL DIFFERENCES AMONG ENTRIES, SUBTRACT ONE ENTRY'S MEAN FROM ANOTHER ENTRY'S MEAN. STATISTICAL DIFFERENCES OCCUR WHEN THIS VALUE IS LARGER THAN THE CORRESPONDING LSD VALUE (LSD 0.05).

**/ C.V. (COEFFICIENT OF VARIATION) INDICATES THE PERCENT VARIATION OF THE MEAN IN EACH COLUMN.

1/ MEAN AN AVERAGE OF ALL THE TURFGRASS QUALITY RATINGS FROM ALL LOCATIONS.

2/ MAXIMUM IN TOP 25% THE PERCENTAGE OF LOCATIONS WHERE THAT ENTRY FINISHED IN THE TOP 25% OF ALL ENTRIES.